



Groupe Lyonnais d'Etudes Médicales

**11th INTERNATIONAL SYMPOSIUM
ON AURICULOTHERAPY / 11^e SYMPOSIUM
INTERNATIONAL D'AURICULOTHÉRAPIE**

Copenhagen, 8-9-10 Sept. 2023

**Auriculotherapy meets
the field of Psychology
Auriculothérapie rencontre
le champ de la Psychologie**



G.L.E.M.

*(Groupe Lyonnais d'Etudes Médicales)
49, rue Mercière – 69002 Lyon (France)
auriculoformation.fr – contact@glem.org*

**Toute reproduction des articles contenus dans cet ouvrage, même partielle,
est interdite sans l'accord écrit de l'éditeur, conformément à la loi du 11 mars 1957
sur la propriété littéraire et artistique.**

**Tous les articles publiés dans cet ouvrage ont été acceptés et validés par le comité
scientifique présidé par le docteur Michel Marignan, responsable de la publication.**

Les opinions émises n'engagent que les auteurs.

Conformément à une juridiction constante, les erreurs ou omissions involontaires qui
pourraient subsister dans cet ouvrage malgré les contrôles de la rédaction, ne sauraient
engager la responsabilité de l'éditeur ou du directeur de publication.

11th INTERNATIONAL SYMPOSIUM ON AURICULOTHERAPY
8th, 9th, 10th of September 2023, Copenhagen (Denmark)
11è SYMPOSIUM INTERNATIONAL D'AURICULOTHÉRAPIE

Congress president

Président du Congrès

PhD Stephen W. Porges

Award committee president

Président du Comité des Prix

Raphaël Nogier, MD

Award committee members

Comité des Prix

Robert Bering, MD, PhD

Anne Marie Bering, PgD

Gerhard Litscher, PhD

Claire Marie Rangon, MD, PhD

Gary Stanton, MD

Scientific committee president

Président du Comité Scientifique

Claire Marie Rangon, MD, PhD

Scientific committee members

Comité Scientifique

Gary Stanton, MD

Robert Bering, MD, PhD

Congress organisation

Organisation du Congrès

Robert Bering, MD, PhD

Anne Marie Bering, PgD

Board of Excellent Clinicians

Comité d'excellence clinique

Raphaël Nogier, MD

Mitchell L. Elkiss, DO

Anne Marie Bering, PgD

PROGRAM : The 11th INTERNATIONAL AURICULOTHERAPY SYMPOSIUM

8th-9th-10th of September 2023, Copenhagen (DENMARK)

FRIDAY, the 8th of SEPTEMBER 2023 12 noon – 1 pm : Participant registration	
1 pm Congress opening <i>Auriculotherapy meets the Field of Psychology</i> The host's welcome address Robert BERING	
1 :05 pm G.L.E.M. President's welcome address (Lyon Group of Medical Studies)	
Raphaël NOGIER	
1 :10 pm Congress President's welcome address Stephen W. PORGES	
1 :15 pm - 2 pm : Keynote - Stephen W. PORGES <i>Vagal Nerve Stimulation Through the Lens of the Polyvagal Theory</i>	
2 pm - 2 :30 pm : Keynote - Sue CARTER <i>Oxytocin and the Polyvagal Theory: The Biochemistry of Love</i>	
2 :30 pm – 3 :20 pm: Coffee break. Visit exhibitors' space	
3 :20 pm – 4 pm : Keynote - Gerhard LITSCHER <i>Science and Research in Auricular Medicine</i>	
Vagal Nerve Stimulation and Auriculotherapy Symposium 1 : Chairmen : Peijing RONG & Gerhard LITSCHER	
Conference hall	
4 pm – 4 :20 pm - Peijing RONG <i>Theory and application of auricular therapy in psychoemotional disorders via the modulation of the Vagus nerve</i>	
4 :20 pm – 4 :40 pm – Shaoyuan LI <i>Mechanisms and clinical application of ear treatment for brain disorders</i>	
4 :40 pm – 5 pm – Dave MAYBEE, Duvan HOFFMANN <i>Polyvagal-informed Neuro-auricular Modulation</i>	
5 pm – 5 :20 pm – Claire Marie RANGON <i>Is Vagus nerve therapy the pathway towards recovery from Long Covid?</i>	
Workshop room	
4 : pm – 5 :30 pm - Raphaël NOGIER <i>RAC / VAS and nervous Depression</i>	
5 :30 pm - 6 pm : Coffee break and exhibitors' space visit Psycho traumatology - How to modulate Brain Networks Symposium 2 : Chairmen: Daniel ASIS & Robert BERING	
Conference hall	
6 : pm – 6 :20 pm - Robert BERING, Anne Marie BERING <i>Dynamic Ear acupuncture-supported Trauma Regulation (DESTaR): Pilot study, multi-clinic study.</i>	
6 :20 pm. - 6 :40 pm. - Raphaël NOGIER <i>RAC /VAS and cold stimulation</i>	
6 :40 pm – 7 pm – Bernard BRICOT <i>Psycho-emotional pathologies: childhood wounds auricular treatment</i>	

7 pm – 7 :20 pm – Stefanie KOCHER <i>The influence and therapeutic possibilities of Solfeeggio frequencies in auriculotherapy on emotional disorders</i>	
7 :30 pm : Session closure 8 pm.: Two course dinner included at Villa Copenhagen Enjoy your evening with colleagues	
SATURDAY, the 9th of SEPTEMBER 2023	
8 :30 am – 9 :00 am: Keynote - Bruno BONAZ <i>The Microbiota-Gut-Brain Axis. Targeting Vagal Tone through Vagus Nerve Stimulation in Auriculotherapy</i>	
9 am – 9 :30 am : Keynote - Yang ZHAO <i>Application of Body-Qi-Spirit Auricular Diagnosis and Treatment in Psychosomatic Diseases</i>	
9 :30 am – 10 am: Keynote - Frank BAHR <i>Auriculo Diagnostic and Auriculo-therapy of Psychological Damage and Trauma to the soul. Development of the finding of the psychosomatic points.</i>	
10 am – 10 :30 am: Coffee break and exhibitors' space visit Auriculotherapy for Mental Disorders Symposium 3 : Chairmen: Terry OLESON & John HOWARD	
Conference hall	
10 :30 am – 10 :50 am - Xiaohui LIU <i>Auricular therapy Combined with Cognitive Behavioural Intervention for Depression after COVID-19: A Case Report from Zhengzhou, China</i>	
10 :50 am – 11 :10 am - Christiane T. WESEMANN <i>Auriculotherapy with a double effect</i>	
11 :10 am – 11 :30 am - Michael WEBER <i>Laser in Diagnosis and Therapy: Fascinating Results by the seven Resonance-Frequencies according to Paul Nogier and Frank Bahr.</i>	
11 :30 am – 11 :50 am - Chantal VULLIEZ, Patrick BECU <i>Pulsed Magnetic Field, a potentially useful complementary auricular therapeutic option. Phase II: a comparative trial of auricular magnetic stimulation in 100 patients</i>	
11:50 am-12:10 am Kajsa LANDREN and Sirii HEDLUND <i>Ear acupuncture as an adjunct to in-patients with anorexia nervosa. Two qualitative studies</i>	
Workshop room	
10 :30 am – 12 am - Mitchell L. ELKISS <i>The Auricular Trauma Protocol as a new treatment for Post-Traumatic Stress Disorders</i>	
12:15 am – 1:15 pm : Lunch included Enjoy your lunch with colleagues at Villa Copenhagen	
Poster session – 1 :15 pm – 1:30 pm Auriculotherapy for stress and anxiety in a university population Dalvani MARQUES Auriculotherapy in pregnant women up to 20 weeks of gestation Dalvani MARQUES	

Chronic Pain related to the Field of Psychology Symposium 4: Chairmen: Jihong LIU & Raphaël NOGIER	
Conference hall	
1 :30 pm – 1 :50 pm – Mitchell L. ELKISS <i>Auricular trauma Protocol in the mitigation of extraordinary stress and its psychological and somatic manifestations</i>	
1 :50 pm – 2 :10 pm – Carine CHAIX-COUTURIER <i>Place of auriculotherapy in the management of cancer patients</i>	
2 :10 pm – 2 :30 pm – Michelle LEE <i>Application and Curative Effect of Chinese Acupuncture in Auriculotherapy</i>	
2 :30 pm – 2 :50 pm – Eric AZABOU <i>VNS in drug resistant RLS: Rationale and preliminary data</i>	
2 :50 pm – 3 :10 pm – Bernard DEFFONTAINES <i>Clinical study on auriculotherapy efficiency on fibromyalgia symptoms</i>	
Workshop room	
1 :30 pm – 3 pm - Frank BAHR, Christiane T. WESEMANN, Michael WEBER <i>Auriculo-diagnostic and auriculotherapy of psychic injuries and trauma of soul</i>	
3:10 pm – 4 :00 pm: Coffee break and exhibitors' space visit	
4 pm – 4 :30 pm : Keynote - Stéphane MAUGENDRE Pain associated with the Field of Psychology	
4 :30 pm - 5 pm : Keynote - Christiane T. WESEMANN <i>The psychic injuries in the case of Covid diseases with the corresponding psychic blockage points and the exact matching flowers</i>	
5 pm – 5 :30 pm : Keynote - Sixian Zhou <i>Application of auricular diagnosis and treatment technology in China</i>	
5 :30 pm - 6 pm : Keynote – Yori GIDRON <i>Rationale and implementation of Vagus nerve biofeedback for mental and physical health of Ukrainian forced migrants</i>	
8 pm: Gala dinner at the Odd Fellow Palace, Bredgade 28, Copenhagen	
SUNDAY, the 10th of SEPTEMBER 2023	
9 am - 9 :30 am : Keynote - Terry OLESON <i>From Auriculotherapy to Ear Reflexology</i>	
9 :30 am - 10 am : Keynote - Kajsa LANDGREN <i>Ear acupuncture in addiction, anxiety, depression and sleeping problems</i>	
10 am – 10 :30 am : Keynote - Gary STANTON <i>The Shenmen Point and the Cosmonaut Point</i>	
10 :30 – 11 :20 am: Coffee break and exhibitors' space visit	
11 :20 am – 12 am : Kai ZHAO, Han LI <i>The Contribution of Qingdao Auricular points Tang to Auriculotherapy in the Last Decade --- Clinical Application and Dissemination. Teaching and Tools</i>	
12 am – 12 :30 am : Howard J Wu <i>Porges's Polyvagal Theory Seen Through the Looking Glass of Nogier's Three Phases</i>	
12 :30 am – 1 :20 pm : Claire Marie RANGON <i>Panel discussion</i>	
1 :20 pm : Award Ceremony - Symposium closure ceremony	

PROGRAMME : 11^{ème} SYMPOSIUM INTERNATIONAL D’AURICULOTHÉRAPIE

8-9-10 septembre 2023, Copenhague (DANEMARK)

VENDREDI, le 8 SEPTEMBRE 2023 12h – 13h : Accueil des participants	
13h Ouverture du congrès L'auriculothérapie rencontre le champ de la psychologie Le mot de bienvenue de l'équipe d'organisation Robert BERING	
13h05 Le mot de bienvenue du président du GLEM (Groupe Lyonnais d'Études Médicales) Raphaël NOGIER	
13h10 Le mot de bienvenue du président du congrès Stephen W. PORGES	
13h15 – 14h : Keynote - Stephen W. PORGES <i>La stimulation du Nerf Vague vue à travers la théorie polyvagale</i>	
14h – 14h30 : Keynote - Sue CARTER <i>L'ocytocine et la théorie polyvagale : la biochimie de l'amour</i>	
14h30 – 15h20: Pause-café. Visite de l'espace des exposants.	
15h20 – 16h : Keynote - Gerhard LITSCHER La science et la recherche en médecine auriculaire	
La Stimulation du Nerf Vague et l'Auriculothérapie Symposium 1 : présidents de séance : Peijing RONG & Gerhard LITSCHER	
16h – 16h20 - Peijing RONG Salle plénière La théorie et l'application de la thérapie auriculaire dans les troubles psychoémotionnels à travers la modulation du Nerf Vague 16h20 – 16h40 – Shaoyuan LI Les mécanismes et l'application clinique du traitement à l'oreille pour des troubles cérébraux 15h40 – 17h – David MAYBEE, Duvan HOFFMANN La modulation neuro-auriculaire et l'information polyvagale 17h – 17h20 – Claire Marie RANGON La thérapie par le Nerf Vague est-elle un moyen pour le rétablissement du COVID long ?	
Salle des ateliers 16h – 17h30 - Raphaël NOGIER RAC / VAS et la dépression nerveuse	
17h30 – 18h : Pause-café. Visite de l'espace des exposants. Psychotraumatologie – Comment moduler les réseaux cérébraux	
Symposium 2 : présidents de séance : Daniel ASIS & Robert BERING Salle plénière 18h – 18h20 - Robert BERING, Anne Marie BERING Régulation du trauma par l'acupuncture auriculaire dynamique (DESTaR). Étude pilote multi-clinique 18h20 – 18h40 – Raphaël NOGIER RAC / VAS et la stimulation par le froid 18h40 – 19h – Bernard BRICOT Les pathologies psycho-émotionnelles : traitement auriculaire des blessures d'enfance	

19h – 19h20 – Stefanie KOCHER L'influence et les possibilités thérapeutiques des fréquences Solfeggio sur les troubles émotionnels appliqués à l'auriculothérapie 19h30 : Fin de la session 20h: Dîner à la Villa Copenhagen (inclus dans le tarif d'inscription) Profitez de la soirée entre collègues	
SAMEDI, le 9 SEPTEMBRE 2023	
8h30 – 9h : Keynote - Bruno BONAZ L'axe Microbiote-Intestin-Cerveau. Cibler le tonus vagal par la stimulation du nerf vague en auriculothérapie	
9h – 9h30 : Keynote - Yang ZHAO L'application du diagnostic et du traitement auriculaire sous l'angle du concept Corps-Qi-Esprit dans les maladies psychosomatiques	
9h30 – 10h : Keynote - Frank BÄHR Le diagnostic et la thérapie auriculaire des dommages psychologiques et des traumatismes de l'âme. Le développement de la recherche des points psychosomatiques	
10h – 10h30: Pause-café. Visite de l'espace des exposants. L'Auriculothérapie et les désordres mentaux Symposium 3 : présidents de séance : Terry OLESON & John HOWARD	
10h30– 10h50 - Xiaohui LIU Salle plénière La thérapie auriculaire combinée à l'intervention comportementale cognitive en cas de dépression suite à la COVID-19: un rapport sur les cas dans la ville de Zhengzhou, Chine 10h50– 11h10 - Christiane T. WESEMANN L'auriculothérapie avec un double effet 11h10– 11h30 - Michael WEBER Le laser dans le diagnostic et la thérapie : des résultats fascinants par les 7 fréquences de résonance selon Paul Nogier et Frank Bähr 11h0– 11h50 - Chantal VULLIEZ, Patrick BECU Le champ magnétique pulsé, une option thérapeutique auriculaire potentiellement utile et complémentaire. Phase II: une étude comparative de la stimulation magnétique auriculaire sur 100 patients 11h50- 12h10 Kajsa LANDREN and Siiri HEDLUND L'acupuncture d'oreille en soutien pour les patients atteints d'anorexie mentale. Deux études qualitatives	
Salle des ateliers 10h30 – 12h - Mitchell L. ELKISS Le protocole auriculaire pour les traumatismes : un nouveau traitement dans les troubles du Stress Post-Traumatique	
12h15 – 13h15: Repas de midi (inclus dans l'inscription) Profitez de votre repas entre collègues à la Villa Copenhagen Sesión des posters– 13h15 – 13h30	
Dalvani MARQUES L'auriculothérapie chez les femmes enceintes jusqu'à la 20ème semaine de grossesse Dalvani MARQUES L'auriculothérapie dans le stress et l'anxiété dans la population des universités	

La douleur chronique liée au domaine de la psychologie Symposium 4: présidents de séance : Jihong LIU & Raphaël NOGIER Salle plénière 13h30 – 13h50 – Mitchell L. ELKISS Le protocole auriculaire dans le traitement du stress post-traumatique lors d'un stress important et de ses manifestations psychologiques et somatiques 13h50 – 14h10 – Carine CHAIX-COUTURIER La place de l'auriculothérapie dans la gestion des patients atteints du cancer 14h10 – 14h30 – Michelle LEE L'application et l'effet curatif de l'acupuncture chinoise en auriculothérapie 14h30 – 14h50 – Erik AZABOU VNS chez les patients résistants à la médication RLS : données préliminaires 14h50 – 15h10 – Bernard DEFONTAINES Étude clinique de l'efficacité de l'auriculothérapie sur les symptômes de la fibromyalgie	
Salle des ateliers 13h30 – 15h - Frank BÄHR, Christiane T. WESEMANN, Michael WEBER Le diagnostic auriculaire et l'auriculothérapie dans les blessures psychiques et les traumatismes de l'âme 15h10 – 16h: Pause-café. Visite de l'espace des exposants. 16h – 16h30 : Keynote - Stéphane MAUGENDRE La douleur associée dans le domaine de la psychologie 16h30 – 17h : Keynote - Christiane T. WESEMANN Les blessures psychiques dans l'infection COVID : présentation des points correspondants au blocage psychique et leurs fleurs spécifiques. 17h – 17h30 : Keynote - Sixian ZHOU L'application du diagnostic auriculaire et la technique de traitement en Chine 17h30 – 18h : Keynote – Yori GIDRON La rationalisation et l'implémentation de la réponse biotique du Nerf Vague sur l'état de santé mentale et physique des migrants forcés d'Ukraine	
20h: Dîner de gala à Odd Fellow Palace, Bredgade 28, Copenhagen	
DIMANCHE, le 10 SEPTEMBRE 2023	
9h – 9h30 : Keynote - Terry OLESON De l'auriculothérapie à la réflexologie de l'oreille 9h30 – 10h : Keynote - Kajsa LANDGREN L'acupuncture de l'oreille dans l'addiction, l'anxiété, la dépression et les troubles du sommeil 10h – 10h30 : Keynote - Gary STANTON Le point Shenmen en et le point du cosmonaute 10h30 – 11h20 : Pause-café. Visite de l'espace des exposants.	
11h20– 12h - Kai ZHAO, Han LI La contribution des points auriculaires Qingdao Tang à l'auriculothérapie dans les derniers 10 ans – l'application clinique. L'enseignement et ses outils 12h – 12h30 – Howard J WU La théorie polyvagale de Porges vue à travers la loupe des trois phases de Nogier 12h30 – 13h20 - Claire Marie RANGON Table ronde 13h20: Cérémonie des Prix / Cérémonie de Clôture du Symposium	

“Auriculotherapy meets the Field of Psychology” “L'auriculothérapie rencontre le champ de la psychologie”

CONTENT / SOMMAIRE

Symposium programme (English version)

Programme du symposium (version française)

PLENARY SESSION COMMUNICATIONS / COMMUNICATIONS EN SÉANCE PLÉNIÈRE

Symposium welcome address	10
Robert Bering (MD), Anne Marie Bering (PgD) (Organization committee / Committée d'organisation)	
Symposium welcome address	11
Raphaël Nogier (MD) (GLEM president / Président du GLEM)	
Allocution de bienvenue	12
Raphaël Nogier (MD) (Président du GLEM / GLEM president)	
Symposium welcome address	13
Stephen W. Porges (PhD) (Congress president / Président du congrès)	
Vagal Nerve Stimulation Through the Lens of the Polyvagal Theory	16
Stephen W. Porges (PhD)	
How the Vagus and Oxytocin Evolved to Form the Neurophysiological Basis of Humanity: A Marriage of Love and Trust	17
Sue Carter (PhD)	
Science and Research in Auricular Medicine	18
Gerhard Litscher (PhD)	
Theory and application of auricular therapy in psychoemotional disorders via the modulation of the Vagus Nerve	19
Peijing Rong (PhD)	
Mechanisms and clinical application of ear treatment for brain disorders	21
Li Shaoyuan	

Polyvagal-informed Neuro-auricular Modulation	22
Dave Maybee and Duvan Hoffmann	
Is Vagus nerve therapy the pathway towards recovery from Long Covid?	23
Claire Marie Rangon (MD, PhD)	
Dynamic Ear acupuncture-supported Trauma Regulation (DESTaR)	24
Robert Bering (MD, PhD), Anne Marie Bering (PgD)	
RAC (Arterial Circulatory Reflex) and cold stimulation	25
Raphaël Nogier (MD)	
Psyco-emotional pathologies : childhood wounds auricular treatment	26
Bernard Bricot (MD)	
The influence and therapeutic possibilities of Solfeggio frequencies in auriculotherapy on emotional disorders	27
Stefanie Kocher (MD)	
The Microbiota-Gut-Brain Axis: Targeting Vagal Tone through Vagus Nerve Stimulation in Auriculotherapy	28
Bruno Bonaz (MD, PhD)	
Application of Body-Qi-Spirit Auricular Diagnosis and Treatment in Psychosomatic Diseases	30
Yang Zhao	
Auriculo Diagnostic and Auriculo-therapy of Psychological Damage and Trauma in the soul. Development of the finding of the psychosomatic points	33
Frank Bahr (MD)	
Auricular therapy Combined with Cognitive Behavioral Intervention for Depression after COVID-19: A Case Report from Zhengzhou, China	30
Yang Xiaohui Liu	
Auriculotherapy with a double effect	32
Christiane Tessa Wesemann (MD)	
Laser in Diagnosis and Therapy: Fascinating Results by the seven Resonance-Frequencies according to Paul Nogier et Frank Bahr	33
Michael Weber (MD)	
Pulsed Magnetic Field, a potentially useful complementary auricular therapeutic option. Phase II: a comparative trial of auricular magnetic stimulation in 100 patients	36
Chantal Vulliez (MD)	
<i>Le champ magnétique pulsé, une option thérapeutique auriculaire potentiellement utile et complémentaire.</i>	
<i>Phase II: une étude comparative de la stimulation magnétique auriculaire sur 100 patients</i>	37
Chantal Vulliez (MD)	

Ear acupuncture as an adjunct to in-patients with anorexia nervosa.	
Two qualitative studies	38
Kajsa Landgren	
Auricular Trauma Protocol (ATP) in the Mitigation of Extraordinary Stress and its Psychologic and Somatic Manifestations	40
Mitchell Elkiss (DO, FACN, FAAMA, CSPOMM)	
Place of auriculotherapy in the management of cancer patients, from a cohort study in integrative medicine conducted in the Institut Rafaël	41
Carine Chaix-Couturier	
Application and Curative Effect of Chinese Acupuncture in Auriculotherapy	43
Michelle Lee	
Vagus Nerve Stimulation in Drug Resistant Restless Legs Syndrome: Rationale and Preliminary Data	44
Eric Azabou (PhD)	
Étude clinique sur l'efficacité de l'auriculothérapie sur les symptômes de la fibromyalgie	45
<i>Clinical study on auriculotherapy efficiency on fibromyalgia symptoms</i>	
Bernard Deffontaines (MD)	
Auriculotherapy and post-traumatic stress disorder. An observational trial with chromotherapy	48
Maugendre Stéphane (MD)	
The psychic injuries in the case of Covid diseases with the corresponding psychic blockage points and the exact matching flowers	49
Christiane Tessa Wesemann (MD)	
Application of auricular diagnosis and treatment technology in China	50
Sixian Zhou	
Rationale and implementation of Vagus nerve biofeedback for mental and physical health of Ukranian forced migrants	52
Yori Gidron (MD)	
The Auriculotherapy Certification Institute	53
Terry Oleson (PhD)	
Ear acupuncture in addiction, anxiety, depression and sleeping problems: evidence, visions, and experiences from psychiatric care	54
Kajsa Landgren	
The Shenmen and Cosmonaut Points	55
Gary Stanton (MD)	

The Contribution of Qingdao Auricular points Tang to Auriculotherapy in the Last Decade – Clinical Application and Dissemination. Teaching and Tools 56
Kai Zhao

Porges's Polyvagal Theory Seen Through the Looking Glass of Nogier's Three Phases: 58
Howard J. Wu

POSTERS / POSTERS

Auriculotherapy in stress and anxiety in university population 60
Dalvani Marques

Auriculotherapy in pregnant women up to 20 weeks of gestation 61
Dalvani Marques

CONGRESS EXHIBITORS / EXPOSANTS DU CONGRÈS 62

SYMPOSIUM WORKSHOPS / ATÉLIERS DU SYMPOSIUM

RAC/VAS AND NERVOUS DEPRESSION

RAC / VAS ET LA DEPRESSION NERVEUSE

FRIDAY, the 8th of SEPTEMBER 2023 (4pm – 5:30pm)

Raphaël Nogier (MD)

THE AURICULAR TRAUMA PROTOCOL AS A NEW TREATMENT

FOR POST-TRAUMATIC STRESS DISORDERS

LE PROTOCOLE AURICULAIRE POUR LES TRAUMAS : UN NOUVEAU TRAITEMENT

DANS LES TROUBLES DU STRESS POST-TRAUMATIQUE

SATURDAY, the 9th of SEPTEMBER 2023 (10:30am – 12am)

Mitchell L. Elkiss (DO)

AURICULO-DIAGNOSTIC AND AURICULOTHERAPY

OF PHYSIC INJURIES AND TRAUMA OF SOUL

LE DIAGNOSTIC AURICULAIRE ET L'AURICULOTHÉRAPIE

DANS LES BLESSURES PSYCHIQUES ET LES TRAUMATISMES DE L'ÂME

SATURDAY, the 9th of SEPTEMBER 2023 (1:30pm – 3pm)

Frank Bahr (MD), Christiane Wesemann (MD), Michael Weber (MD)

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Symposium Opening / Ouverture du symposium

(Docteur Robert Bering (MD))

1 pm – 1:05 pm / 13h - 13h05

Symposium welcome address

Allocution de bienvenue

Robert Bering (MD), Anne Marie Bering (PgD)

Organization committee / Committée d'organisation

Dear presenters,

Dear participants,

Welcome to the 11th International Auriculotherapy Symposium

“Auriculotherapy meets the Field of Psychology”

The Auriculotherapy Symposium is designed to build bridges
between the psychological field and complementary medicine.

The number of people diagnosed with psychological disorders is rising worldwide.

This causes disabilities in the working and in the social life.

In line with the Auriculotherapy tradition of Paul Nogier several directions,
protocols and ideas to the treatment of psychic syndromes have been developed.

By this, auriculotherapy opens new approaches to psychic disorders.

Thank You to all international Auriculotherapy experts, researchers and practitioners
to share interdisciplinary knowledge, experiences, and inspiration and contribute
to a complex multidisciplinary approach, a milestone in integrative medicine.

Best regards,

Anne Marie and Robert Bering

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Symposium Opening / Ouverture du symposium

(Docteur Raphaël Nogier (MD))

1:05 pm – 1:10 pm / 13h05 - 13h10

Symposium welcome address

Allocution de bienvenue

Raphaël Nogier (MD)

GLEM president / Président du GLEM

Ladies and gentlemen, dear friends,

As President of GLEM, I am happy to open the 11th International Symposium on Auriculotherapy, the subject of which is fascinating. This is the sixty-second time I have come to this beautiful country of Denmark. Indeed, from 1989, I came here to teach auriculotherapy, invited by Anne Marie Bering.

By opening this symposium, I would like us to have a thought for Doctor Michel Marignan who himself has taught in Denmark on many occasions. He unfortunately died in 2021. A few days before his death, he told me that Copenhagen was an ideal place to host this XIth symposium.

In 1951, Paul Nogier, a doctor in Lyon, tried to understand why certain healers obtained good therapeutic results on sciatica by cauterizing a specific ear point. This process, known for several centuries, was used around the Mediterranean Sea. Although the results of the cauterization were spectacular, no scientist had investigated why. Professor Brown Sequard thought it was a reflex phenomenon. Later, Paul Nogier understood that there was a somatotopia on the ear. From there, he created a real method that he called auriculotherapy.

He very quickly used the ear points to treat pain of any kind, functional disorders but also disorders with a psychic expression. In particular, he described on the ear the sounds line located below the antitragus. This line is used today to treat the sequelae of psychoemotional trauma.

Subsequently, Paul Nogier described a vascular phenomenon called RAC or VAS, perceptible on the radial artery. This phenomenon, dependent on the sympathetic system, reflects an adaptation of the organism, sometimes a defense. The RAC is very often affected in psychological disease.

This symposium is organized by Professor Robert Bering and his wife Anne Marie. The scientific committee is chaired by Dr Claire Marie Rangan assisted by Dr Gary Stanton. The Presidency is held by Professor Stefen Porges, well known for his polyvagal theory. Thanks to all of them and to all those who participated in this great achievement. Thank you also to Diana Blttner of Glem. Thanks for all lecturers. Thanks for the translators. For all this work, I deeply thank them.

Raphaël Nogier

Allocution de bienvenue
Symposium welcome address

Docteur Raphaël Nogier (MD)
Président du GLEM / GLEM president

Mesdames, Messieurs, chers amis,

En tant que Président du GLEM, je suis heureux d'ouvrir le XI^{ème} symposium International d'Auriculothérapie dont le sujet est important et passionnant. C'est la soixante-deuxième fois que je viens dans ce beau pays qu'est le Danemark. En effet, à partir de 1989, je suis venu ici enseigner l'auriculothérapie, invité par Anne Marie Bering.

En ouvrant ce symposium, j'aimerais que nous ayons une pensée pour le Docteur Michel Marignan qui a lui même ayant enseigné au Danemark à de nombreuses reprises. Il est malheureusement mort en 2021. Quelques jours avant sa mort, il m'avait dit que Copenhague était un endroit idéal pour accueillir ce XI^{ème} symposium.

En 1951, Paul Nogier, médecin à Lyon a essayé de comprendre pourquoi certains guérisseurs obtenaient de bons résultats thérapeutiques sur les sciatiques en cautérisant un point d'oreille. Ce procédé, connu depuis plusieurs siècles, était employé autour de la Méditerranée. Même si les résultats de la cautérisation étaient spectaculaires, aucun scientifique n'avait cherché à savoir pourquoi. Le Pr Brown Sequard avait pensé qu'il s'agissait d'un phénomène réflexe. Paul Nogier comprit qu'il existait sur l'oreille une somatotopie. À partir de là, il créa une véritable méthode qu'il baptisa auriculothérapie.

Il utilisa très rapidement les points d'oreille pour traiter les douleurs quelle qu'elles soient, les troubles fonctionnels mais aussi les troubles à expression psychique. Il décrivit notamment sur l'oreille la ligne des sons située au-dessous de l'antitragus. Cette ligne est utilisée aujourd'hui pour traiter les séquelles des traumatismes psycho-émotionnels.

Par la suite, Paul Nogier a décrit un phénomène vasculaire appelé RAC ou VAS. Ce phénomène, sous la dépendance du système sympathique traduit une adaptation de l'organisme, parfois une défense.

Ce symposium est organisé sous l'égide du Glem par le Professeur Robert Bering et par sa femme, Anne Marie. Le comité scientifique est présidé par le Dr Claire Marie Rangon aidé par le Dr Gary Stanton. La Présidence est assurée par le Pr Stefen Porges bien connu pour sa théorie polyvagale. Merci à eux tous et à tous ceux qui ont participé à cette belle réalisation. Cela a demandé beaucoup de travail et au nom du Glem, je les en remercie.

Raphaël Nogier

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Symposium address from the Symposium President / Allocution du président du symposium

(Stephen W. Porges (PhD))

1 :10 pm – 1 :15 pm / 13h10 - 13h15

Symposium welcome address

Allocution de bienvenue

Stephen W. Porges (PhD)

Congress president / Président du congrès

Distinguished University Scientist,

Founding Director of the Traumatic Stress Research Consortium, Kinsey Institute, Indiana

University Bloomington, Professor of Psychiatry, University of North Carolina at Chapel Hill

First, I want to thank the organizing committee for inviting me to preside as President of the Symposium. A special thanks to Dr. Claire-Marie Rangon and Professor Robert Bering their help in making me feel welcomed in your community.

When asked to participate, I was curious about how my work would fit the mission of your organization. How could my work be of interest to you and your colleagues? How would the research questions that I have worked on for over five decades be of interest to the field of auricular therapy? Interestingly as I engaged in learning more about the history of your discipline and especially about the bold insightful pioneering work of Dr. Paul Nogier, I began to feel more comfortable. As I realized that we shared a perspective in the 'healing' role of sensory information in 'reflexively' shifting neurophysiological state. I started to see parallels between Polyvagal Theory and the insightful model of auricular therapy proposed by Dr. Paul Nogier that identified locations in the auricle that when stimulate influenced the autonomic nervous system and the function of specific structures in the body.

Our overlap has to do with both an interest in the neural regulation of the autonomic nervous system and our vision of an optimally regulated ANS that supports the broad homeostatic functions of health, growth, restoration, and sociality. Basically, we share an implicit model in the innate intelligence of the body to regulate and self-heal when an appropriate signal is encoded by the nervous system. We share a view that when we know the parameters of the signal that the neurobiological sensor is tuned to, the organ function will reflexively return to a more optimal state. In contrast to the specificity of auricular therapy linking organs to locations on the auricles, Polyvagal Theory provides a more general model linked to more diffuse autonomic states associated with calmness and safety, danger, and life threat. Both auricular therapy and Polyvagal Theory assume that when the appropriate signals are processed, the nervous system gives up its threat reactions and self-organizes to enhance health. Within Polyvagal Theory this is emphasized as signals of safety that can reflexively move the autonomic nervous system out of threat to states of calmness that would optimistically support health and sociality.

My scientific journey started in the late 1960s, when I was investigating how heart rate changed during various forms of stimulation and mental effort. I noticed that heart rate stabilized during sustained attention and that individuals who had more endogenous baseline heart rate variability were more autonomically reactive and even had faster reaction times. This led me to become the first scientist to quantify heart rate variability as a reliable indicator of both a response to stimulation and psychological challenges as well as an individual difference. This was a time when variability in heart rate was assumed to be measurement error since the dependent variable of choice was heart rate. As an individual difference I thought it would be diagnostic or at least predictive of a propensity to autonomically react to stimulation. The decades that followed and the proliferation of HRV research supports both insights.

My work lead in two directions. One focused on an intellectual curiosity to understand the neural mechanisms mediating the changes in heart rate and heart rate variability. When I started my research, the vagus was seldom mentioned, however my research led to an interest in the vagal regulation of the heart. The second focus on the development of methods to dynamically assess vagal regulation. These research trajectories led me into questions of how measures of heart rate could contribute to medical diagnosis and predictions of survival.

Along this journey I was confronted with a challenge, how could the vagus when expressed in features of heart rate variability (i.e., respiratory sinus arrhythmia) be associated as supporting homeostatic functions but could be lethal when expressed as bradycardia. Solving this vagal paradox, led to the conceptualization of the polyvagal theory. The solution emerged when the phylogenetic transition from extinct ancient reptiles to mammals was uncovered with the identification of a uniquely mammalian ventral vagus that integrated the regulation of the structures of the face and head with the vagal regulation of the heart. This innovation enabled mammals to signal conspecifics through facial muscles and vocal intonation the autonomic state they were in. This system, labelled the social engagement system, enabled ingestion (nursing), social communication, and co-regulation.

During the evolutionary journey cardioinhibitory neurons migrated ventrally from the dorsal motor nucleus of the vagus to the source nuclei of the nerves that arise from pharyngeal arches during embryonic development and regulate the striated muscles of the face and head. Through evolution interneuronal connections emerge between the ventral vagus (nucleus ambiguus) and the source nuclei of cranial nerves V, VII, IX, X, and XI. The product of this ventral migration is the social engagement system and its anatomical substrate, the ventral vagal complex. It is through these interneuronal connections that portals of vagal stimulation are expanded to enable acoustic stimulation and sociality to function as efficient and effective forms of vagal nerve stimulation.

It is this journey of the ventral migration of cardioinhibitory vagal neurons led me to the ear. However, my interests were not in the auricle, my interests were in the neural regulation of middle ear structures and my map of stimulation was focused on how to stimulate the afferent limb of the social engagement system. Specifically, this is how signals of safety could be input in the structures regulated by cranial nerve V, VII, IX, X, and XI as portals to move the ANS into a state that would support health, growth, restoration, and sociality. For example, signals of safety, including patterns of vocalizations, could be used to calm the ANS and function as an acoustic vagal nerve stimulator. Thus, the social engagement system links the vagus with sociality and sociality with health.

I am looking forward to sharing the next few days with you and learning from your pioneering work.

Thank you.

Stephen W. Porges

References

Porges, S. W. (2023). The vagal paradox: A polyvagal solution, *Comprehensive Psychoneuroendocrinology*, 16, 100200

Porges, S. W. (2022). Polyvagal theory: a science of safety. *Frontiers in integrative neuroscience*, 16, 27.

Porges, S. W. (2022). Heart rate variability: A personal journey. *Applied Psychophysiology and Biofeedback*, 47(4), 259-271.

Porges, S. W. (2021). Polyvagal Theory: A biobehavioral journey to sociality. *Comprehensive Psychoneuroendocrinology*, 7, 100069.

Rajabalee, N., Kozłowska, K., Lee, S. Y., Savage, B., Hawkes, C., Siciliano, D., Porges, S., Pick, S., & Torbey, S. (2022). Neuromodulation Using Computer-Altered Music to Treat a Ten-Year-Old Child Unresponsive to Standard Interventions for Functional Neurological Disorder. *Harvard review of psychiatry*, 30(5), 303.

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Plenary session - Session en plénière
1:15 pm – 2 pm / 13h15 - 14h

Vagal Nerve Stimulation Through the Lens of the Polyvagal Theory

Stephen W. Porges (PhD)

Distinguished University Scientist,

Founding Director of the Traumatic Stress Research Consortium, Kinsey Institute, Indiana University Bloomington, Professor of Psychiatry, University of North Carolina at Chapel Hill

I) Abstract / Résumé

Vagal nerve stimulation, through the lens of the Polyvagal Theory, highlights three key aspects. Firstly, it emphasizes the link between the ventral vagal complex's functions and symptom relief through stimulation, benefiting mental and physical well-being. Secondly, it focuses stimulation on specific afferent pathways that communicate with brainstem regions regulating somatomotor and special visceral efferent pathways from the ventral vagal complex. Thirdly, it acknowledges the impact of trauma and chronic stress on autonomic function, disrupting the adaptive role of the ventral vagal complex in managing threats and optimizing health. As our understanding of vagal pathways improves, stimulation methods and targets are expected to evolve, potentially resulting in vagal neuromodulators serving as neural exercises for a resilient autonomic nervous system, without requiring chronic usage.

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Plenary session - Session en plénière
2 pm – 2 :30 pm / 14h - 14h30

**How the Vagus and Oxytocin Evolved to Form the Neurophysiological
Basis of Humanity: A Marriage of Love and Trust**

Sue Carter (PhD)

Indiana University and the University of Virginia

I) Abstract / Résumé

Through the lens of evolution, sociality emerged in mammals as a product of modifications of ancient foundational neurobiological survival circuits. This process required modifying circuits initially dedicated for defense and enable two sequential biobehavioral steps to enable trust, the basis of sociality, to occur: 1) detection of cues of safety in other, 2) down regulation of threat reactions.

This talk will discuss how two interdependent neurobiological systems (i.e., vagal and oxytocin) have evolved to synergistically support sociality and homeostatic functions (health, growth, and restoration).

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Plenary session - Session en plénière
3 :20 pm – 4 pm / 15h20 - 16h

Science and Research in Auricular Medicine

Gerhard Litscher (PhD)

I) Abstract / Résumé

This keynote lecture on the topic of 'Science and Research in Auricular Medicine' will highlight the latest findings and advances in this field. Auricular medicine is a form of complementary medicine that uses the stimulation of specific points on the ear to diagnose and treat health conditions. This technique has been used for many years in Europe but also in traditional Chinese medicine and has enjoyed renewed popularity in the Western world in recent years.

Our research team in Austria in Europe, together with international renowned research teams, has made essential basic contributions to the study of this practice. Recent research has also shown that auricular stimulation including acupuncture with different modalities (needle, laser, electro, etc.) can be effective in treating a variety of conditions, including chronic pain, anxiety, and addiction. However, we have also performed joint studies on basic research, robotic, and artificial intelligence for treating various health problems.

This keynote lecture will present the latest basic research on auricular medicine, with a focus on our own findings. The potential benefits and limitations of this practice should also be discussed, as well as its role in integrative medicine. Whether you are a researcher, a practitioner, or simply interested in learning more about basic science and research of auricular medicine, this lecture will hopefully provide valuable insights into this fascinating field.

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Plenary session - Session en plénière
4 pm – 4 :20 pm / 16h - 16h20

**Theory and application of auricular therapy in psychoemotional disorders
via the modulation of the Vagus Nerve**

Peijing Rong (PhD)

Institute of Acupuncture and Moxibustion, China Academy of Chinese Medical Sciences, Beijing, China

I) Abstract / Résumé

The vagus nerve (VN), the “great wondering protector” of the body, comprises an intricate neuro-endocrine-immune network that maintains homeostasis. With reciprocal neural connections to multiple brain regions, the VN serves as a control center that integrates interoceptive information and responds with appropriate adaptive modulatory feedbacks. Our team has discovered the auricular branch of the vagus nerve overlaps with the visceral auricular points and proposed a new idea of stimulating the visceral auricular points instead of implantable vagus nerve stimulation, that is to say, transcutaneous auricular vagus nerve stimulation (taVNS). The pre-clinical studies revealed that taVNS can be potentially modulated by vagus nerve stimulation (VNS) with a broad vagal neural network and exert a neuromodulatory effect to activate certain innate “protective” pathways for restoring health. From the perspective of clinical observation, we found that taVNS has a potential clinical effect on depression, epilepsy, insomnia and other psychoemotional disorders. For the stimulation technique, we develop digital, integrated, and wearable common technology of ear treatment on psychoemotional disorders and build a deep learning and multimodal sentiment analysis approach for acupuncture. In summary, we are proposing and continuously improving a new paradigm of the overall regulation of body functions from ear to peripheral nerve and brain network.

References / Références

Li SY, Rong P, Wang Y, et al. Comparative effectiveness of transcutaneous auricular vagus nerve stimulation vs citalopram for major depressive disorder: a randomized trial. *Neuromodulation*. 2022 Apr;25(3):450-460.

Rong P, Liu J, Wang L, et al. Effect of transcutaneous auricular vagus nerve stimulation on major depressive disorder: a nonrandomized controlled pilot study. *J Affect Disord*. 2016 May;195:172-9. doi: 10.1016/j.jad.2016.02.031.

Yuan H, Silberstein SD. Vagus nerve and vagus nerve stimulation, a comprehensive review: part I. *Headache*. 2016;56(1):71-78.

Fang J, Rong P, Hong Y, et al. Transcutaneous vagus nerve stimulation modulates default mode network in major depressive disorder. *Biological Psychiatry*. 2016;79(4):266-273.

Wang JY, Zhang Y, Chen Y, et al. Mechanisms underlying antidepressant effect of transcutaneous auricular vagus nerve stimulation on CUMS model rats based on hippocampal $\alpha 7$ nAChR/NF- κ B signal pathway. *Journal of Neuroinflammation*. 2021 Dec 17;18(1):291.

International Classification of Diseases, Eleventh Revision (ICD-11) 2017.

He W, Jing XH, Zhu B, et al. The auriculo-vagal afferent pathway and its role in seizure suppression in rats. *BMC Neurosci*. 2013 Aug 9;14:85. doi: 10.1186/1471-2202-14-85.

Wang Y, Li SY, Wang D, et al. Transcutaneous auricular vagus nerve stimulation: from concept to application. *Neurosci Bull*. 2021 Jun;37(6):853-862. doi: 10.1007/s12264-020-00619-y.

Wang L, Zhang J, Guo C, et al. The efficacy and safety of transcutaneous auricular vagus nerve stimulation in patients with mild cognitive impairment: A double blinded randomized clinical trial. *Brain Stimul*. 2022 Nov-Dec; 15(6):1405-1414. doi: 10.1016/j.brs.2022.09.003.

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Plenary session - Session en plénière
4 :20 pm – 4 :40 pm / 16h20 - 16h40

Mechanisms and clinical application of ear treatment for brain disorders

Li Shaoyuan, Zhang Yuzhengheng, Rong Peijing

*Institute of Acupuncture and Moxibustion, China Academy of Chinese Medical Sciences,
+86 01064089407, BEIJING, CHINA*

Contact Address: No. 16, Nanxiaojie, Dongzhimenne, Dongcheng District, Beijing

Email: 704488328@qq.com

I) Abstract / Résumé

Depression has a high global prevalence and limited treatment options. Auricular acupuncture stimulation can be widely used for the treatment of mental disorders. Our team has discovered the auricular branch of the vagus nerve overlaps with the visceral auricular points and proposed a new idea of stimulating the visceral auricular points instead of implantable vagus nerve stimulation, that is to say, transcutaneous auricular vagus nerve stimulation (taVNS). Our team confirmed taVNS for the first time the clinical effectiveness of taVNS in the treatment of depression by analyzing the HAMD and SDS scale scores before and after treatment. In terms of mechanistic studies, we have distributed morphological, physiological, and functional imaging techniques to observe structurally and functionally the distribution of vagal fibers in the auricular region project directly to the nucleus of the Solitary Tract. Functional imaging studies revealed taVNS modulated the limbic system, mood-related brain networks, and neuroendocrine functions, elucidating the mechanism of its antidepressant brain effects and further identifying the anterior insula as an early cortical predictive biomarker of antidepressant efficacy of auricular electrical stimulation in patients. From this mechanism, taVNS has been explored on other brain disorders such as insomnia and epilepsy which has broad application prospects.

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Plenary session - Session en plénière
4 :40 pm – 5 pm / 16h40 - 17h

Polyvagal-informed Neuro-auricular Modulation

Dave Maybee and Duvan Hoffmann
Canadian Institute of Auricular Medicine (CIAM)

I) Abstract / Résumé

Given the complex interplay of neural networks involved in the projection of the cortical homunculus onto the ear — the auricular microsystem, it is not surprising that vagal-related aspects in the body that have been activated via auricular targets innervated by the vagus nerve, have also been activated via auricular targets not innervated by the vagus nerve. Polyvagal Theory describes an autonomic nervous system (ANS) characterized by three phylogenetic human response systems: 1) social communication, 2) mobilization, and 3) immobilization.[1] Only two of the three response systems are vagal (parasympathetic) aspects, the third is non-vagal (sympathetic) — nonetheless affected by vagal tone.[2] This is because vagal tone has everything to do with the ANS and our sense of safety.[3] As Polyvagal Theory suggests, this sense of safety is rooted deep within our biology, and deep within the neural complexity projected on our ear. This presentation relates three auricular vagus points to the polyvagal framework, and offers a helpful lens for assessing and supporting sympathetic and parasympathetic regulation. A lens with which to move beyond the concept of niVNS, inform trauma treatment, and support the sense of safety critical for all healing.

References / Références

- [1] Porges SW. The polyvagal theory: new insights into adaptive reactions of the autonomic nervous system. *Cleve Clin J Med*. 2009;76 Suppl 2:S86-S90.
- [2] Porges, S.W. Dana, D. *Clinical Applications of the Polyvagal Theory: The Emergence of Polyvagal-Informed Therapies*. New York: WW Norton. 2018: 53, 52
- [3] Rosenberg S. *Accessing the Healing Power of the Vagus Nerve*. Berkeley, California: North Atlantic Books; 2017:87-93.

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Plenary session - Session en plénière
5 pm – 5 :20 pm / 17h - 17h20

Is Vagus nerve therapy the pathway towards recovery from Long Covid?

Claire Marie Rangon (MD, PhD)

VNSociety Founding Member

Child Neurologist and Pain Specialist, INWE'CARE Medical Center, France

I) Abstract / Résumé

For the first time in the history of human infectious diseases, clinical trials assessing noninvasive vagus nerve stimulation (nVNS) in acute severe sepsis have been launched during the COVID-19 pandemic. Likewise, growing evidence lay emphasis on nVNS as a convenient therapeutic solution to recover from Long COVID (LC), the entity gathering heterogeneous long-term symptoms of SARS-CoV-2 infection, probably one of the greatest health care crises facing the world today.

Vagus nerve and central cholinergic system impairment do play a central pathogenic role in the post-COVID condition, independently of the severity of SARS-CoV-2 infection, explaining why vaccines do not fully protect against LC. Therefore, nVNS could pragmatically help recovering from the whole spectrum of phenotypes described in LC, supported by the first promising clinical trials, showing efficiency, innocuity and large-scale patient-self-administered use. Even, the same rationale supports nVNS as an efficient prevention tool against LC, whatever the SARS-CoV-2 variant, in the at-risk population, easily screened based on HRV prediction and other affordable diagnosis tools.

At last, understanding the pivotal role of vagus nerve dysfunction during SARS-CoV-2 infection could, paradoxically, turn the burden of LC into an opportunity to unravel the pathophysiology of neurodegenerative diseases and “Medically Unexplained Symptoms” so far...

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Plenary session - Session en plénière
6 pm – 6 :20 pm / 18h - 18h20

Dynamic Ear acupuncture-supported Trauma Regulation (DESTaR)

Robert Bering (MD, PhD), Anne Marie Bering (PgD)

I) Abstract / Résumé

Cognitive Behavioral Therapy (CBT), EMDR and Psychodynamic Trauma Therapy (PTT) are established in treatment guidelines of posttraumatic stress disorder (PTSD). However, a subgroup of patients feel attracted to alternative or complementary therapy methods like acupuncture, meditation, physiotherapy, or yoga for different reasons. Beside personal beliefs, non-responding or side effects lower the compliance and accelerate dropouts in established trauma therapy. Dynamic Ear acupuncture-supported Trauma Regulation (DESTaR) combines basic elements of trauma therapy with Ear-acupuncture. The DESTaR protocol consists of three steps. 1. A case formulation that follows basic principles of PTT. 2. Exposure supported by light application on the limbic area on the ear. The client's reaction is monitored by VAS. 3. Treatment outcomes are measured by DESTaR assessment tools. We address the question if DESTaR is effective in treatment of PTSD.

Method / Méthode: Review of DESTaR pilot studies.

Result / Résultats: DESTaR pilot studies show positive effect in clients diagnosed with trauma related disorders.

Conclusion / Conclusion: Auriculotherapy can be integrated in first line methods of trauma therapy. However, controlled studies are needed.

Contact / Contact:

Prof. Dr. Robert Bering
Department for Rehabilitation and Special Education
Faculty of Human Science/ University of Cologne
E-mail: Robert.Bering@uni-koeln.de

Anne Marie Bering, BSc
World's Medicine/Copenhagen
E-Mail: klinik@ny-energi.dk

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Plenary session - Session en plénière
6 :20 pm – 6 :40 pm / 18h20 - 18h40

RAC (Arterial Circulatory Reflex) and cold stimulation

Raphaël Nogier (MD), Diana Bittner
nogierr@club-internet.fr

I) Abstract / Résumé

The RAC (Réflexe auriculo-cardiaque), also called VAS (Vascular autonomic signal) is a phenomenon discovered by Paul Nogier in 1966. First, he discovered that a mechanical ear point stimulation can induce a change of the pulse on the radial artery. This change does not affect the rhythm and the cardiac frequency. The radial pulse is perceived to become harder or softer. Thereafter, he found, that some physical skin stimulations apart from the ear, could also induce an arterial response on the radial artery. So far, this phenomenon has not been proved. In this study, the authors try to check clinically the reality of the phenomenon RAC using a cold stimulation on the belly.

Keywords / Mots clés : RAC, VAS, Signal de Nogier, système sympathique, stimulation thermique, Leriche, auriculotherapy.

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Plenary session - Session en plénière
6 :40 pm – 7 pm / 18h40 - 19h

Psyco-emotional pathologies : childhood wounds auricular treatment

Bernard Bricot (MD)

Orthopaedic surgeon, President of the International College of Static Studies,
Contract professor at the universities of Bari, Urbino, Chieti, Roma Sapienza (ITALY)

83150 Bandol (France),

Phone : +33 (0) 494 88 77 86

I) Abstract / Résumé

Childhood wounds auricular treatment : Introduction, discovering the auricular points according to the morphotype. Pure cases, mixed cases, complementary treatments, conclusions.

The wounds of childhood mark the morphotype of the person. It is on the basis of the morphotype that the auricular location of these wounds have been found. They occurred before the age of maturity of the prefrontal, they cannot be relativised and therefore turn permanently at the level of the archaic brain but also at the level of the basal ganglia which regulates muscle tone.

The five wounds (Lise Bourbeau) :

- The wound of rejection
- The wound of abandonment
- The wound of humiliation
- The wound of betrayal
- The wound of injustice

They are found on the ear of laterality, but also on the contralateral ear in scar. We also find a prefrontal points but as a scar on the laterality ear as an organ point on the opposite ear.

Treatment of wounds :

- EFT
- Auriculotherapy
- PS : the emotions that can accompany them (Sébastien Chatry)

Friday, the 8th of September 2023 - Vendredi, le 8 septembre 2023

Plenary session - Session en plénière
7 pm – 7 :20 pm / 19h - 19h20

**The influence and therapeutic possibilities of Solfeggio frequencies in
auriculotherapy on emotional disorders**

Stefanie Kocher (MD)

Österreichische Gesellschaft für kontrollierte Akupunktur (OGKA), 8010 Graz (AUSTRIA)

Phone : +43 (0) 67 69 62 36 51

Grillparzerstraße 24, 8010 Graz, (AUSTRIA)

E-mail : ordination@auris-methode.at

I) Abstract / Résumé

Solfeggio frequencies (SF), an ancient Gregorian musical scale, involve a set of tones that are believed to possess therapeutic properties including the promotion of physical, emotional, and spiritual healing. In auriculotherapy, combining SF with the reflex auriculo cardiaque (RAC) can support the diagnosis and therapy of emotional disorders. This narrative review aims to summarize the medical applications and possibilities of SF within auriculotherapy.

Methods / Méthodes

The author performed a synthesis of relevant literature using the search terms “Solfeggio, Frequencies, Resonance, Emotional disorders, Auriculotherapy” within the data bases “Pubmed” and “Google Scholar” as well as print media.

References / Références

The main literature describes the use and therapeutical effects of SF in music therapy, less in low-level laser therapy and auriculotherapy.

Discussion / Discussion

Currently, limited evidence supports the use of SF within auriculotherapy. However, there are some promising results showing beneficial effect of SF in the treatment of emotional disorders like anxiety, depression or sleep disorders. Case reports also described a prolonged treatment effect when using SF in auriculotherapy and in combination with permanent needles which needs to be further investigated using randomized clinical trials.

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
8 :30 am – 9 am / 8h30 - 9h

**The Microbiota-Gut-Brain Axis:
Targeting Vagal Tone through Vagus Nerve Stimulation in Auriculotherapy**

Bruno Bonaz (MD, PhD^{1,2})

1. Division of Hepato-Gastroenterology, University Hospital, Grenoble Alpes (France)
 2. Grenoble Institute of Neurosciences, Inserm U1216, University Grenoble Alpes, Grenoble (France)
- E-mail: BBonaz@chu-grenoble.fr

I) Abstract / Résumé

The gut communicates bidirectionally with the brain through the microbiota-gut-brain axis. A perturbation of this axis is involved in the pathogeny of irritable bowel syndrome (IBS) and inflammatory bowel diseases (IBD) which are biopsychosocial diseases. The vagus nerve (VN), a key component of the parasympathetic nervous system, can sense the microbiota, transferring this gut information to the central nervous system which is integrated and generates an adapted or inappropriate response perpetuating a pathological condition of the gut. A dysbiosis is observed in IBS and IBD. Stress is involved in the pathogeny of IBS and IBD and modifies the gut microbiota, stimulates the sympathetic nervous system, and inhibits the VN. The VN has anti-inflammatory properties through its afferents and efferent fibers, activating respectively the hypothalamic-pituitary adrenal axis and the cholinergic anti-inflammatory pathway. The VN modulates intestinal permeability, which is perturbed in IBS and IBD. A reduction in vagal tone is observed in IBS and IBD. Monitoring vagal tone would be an interesting marker of the microbiota-gut-brain axis. Targeting vagal tone through vagus nerve stimulation, auriculotherapy, microbiota modulation, drugs activating the cholinergic system, hypnosis, meditation, cognitive behavioral therapy, deep breathing, physical activity, could restore a homeostatic microbiota-gut-brain axis.

References / Références

- Bonaz B. Anti-inflammatory effects of vagal nerve stimulation with a special attention to intestinal barrier dysfunction. *Neurogastroenterol Motil.* 2022 Oct;34(10):e14456.
- Bonaz B, Sinniger V, Pellissier S. Therapeutic Potential of Vagus Nerve Stimulation for Inflammatory Bowel Diseases. *Front Neurosci.* 2021 Mar 22;15:650971.
- Bonaz B, Lane RD, Oshinsky ML, Kenny PJ, Sinha R, Mayer EA, Critchley HD. Diseases, Disorders, and Comorbidities of Interoception. *Trends Neurosci.* 2021 Jan;44(1):39-51.
- Sinniger V, Pellissier S, Fauvelle F, Trocmé C, Hoffmann D, Vercueil L, Cracowski JL, David O, Bonaz B. A 12-month pilot study outcomes of vagus nerve stimulation in Crohn's disease. *Neurogastroenterol Motil.* 2020 Oct;32(10):e13911.

Bonaz B, Bazin T, Pellissier S. The Vagus Nerve at the Interface of the Microbiota-Gut-Brain Axis. *Front Neurosci*. 2018 Feb 7;12:49.

Bonaz B, Sinniger V, Pellissier S. The Vagus Nerve in the Neuro-Immune Axis: Implications in the Pathology of the Gastrointestinal Tract. *Front Immunol*. 2017 Nov 2;8:1452.

Pellissier S, Bonaz B. The Place of Stress and Emotions in the Irritable Bowel Syndrome. *Vitam Horm*. 2017;103:327-354.

Bonaz B, Sinniger V, Pellissier S. Vagal tone: effects on sensitivity, motility, and inflammation. *Neurogastroenterol Motil*. 2016 Apr;28(4):455-62.

Rubio A, Pellissier S, Picot A, Dantzer C, Bonaz B. The link between negative affect, vagal tone, and visceral sensitivity in quiescent Crohn's disease. *Neurogastroenterol Motil*. 2014 Aug;26(8):1200-3.

Bonaz BL, Bernstein CN. Brain-gut interactions in inflammatory bowel disease. *Gastroenterology*. 2013 Jan;144(1):36-49.

Pellissier S, Dantzer C, Canini F, Mathieu N, Bonaz B. Psychological adjustment and autonomic disturbances in inflammatory bowel diseases and irritable bowel syndrome. *Psychoneuroendocrinology*. 2010 Jun;35(5):653-62.

Taché Y, Bonaz B. Corticotropin-releasing factor receptors and stress-related alterations of gut motor function. *J Clin Invest*. 2007 Jan;117(1):33-40.

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
9 am – 9 :30 am / 9h - 9h30

**Application of Body-Qi-Spirit Auricular Diagnosis and Treatment
in Psychosomatic Diseases**

Yang Zhao, Pr Jihong Liu (MD, PhD)

I) Abstract / Résumé

Psychosomatic disorders are a group of diseases closely related to psychological and social factors. Based on the exploration of the relationship between traditional Chinese medicine theory of emotions, psychosocial medicine, and Body-Qi-Spirit theory, this paper analyzes the formation and prevention of psychosomatic disorders, clarifies the forward-looking nature of traditional Chinese medicine thinking, and advocates the integration of Body-Qi-Spirit theory and Auricular diagnosis and treatment, based on the complementary clinical application. Drawing on clinical research in Auricular treatment of psychosomatic disorders over the past five years, this paper discusses and summarizes the practical application of Body-Qi-Spirit Auricular diagnosis and treatment in the diagnosis, treatment, and health benefits of psychosomatic disorders, and promotes the continuous improvement and popularization of the "Body-Qi-Spirit Auricular Diagnosis and Treatment" method.

Research Team / Equipe de recherche

Research Team Leader / Chef d'équipe de recherche

Jihong Liu, professor, chief physician, doctoral supervisor, currently the director of the Treatment and Prevention Center of Foshan Hospital of Traditional Chinese Medicine and director of the Prevention and Treatment Department of the Eighth Clinical Medical College of Guangzhou University of Traditional Chinese Medicine, engaged in clinical treatment of auricular points, basic research and teaching training for more than 30 years. Doctoral tutor of integrated traditional Chinese and Western Medicine in Guangzhou University of Traditional Chinese Medicine, and the master supervisor of Acupuncture and Massage in Southern Medical University, now serving as the vice-chairman of the External Treatment Branch of the Chinese Association of Traditional Chinese Medicine, the vice-chairman of the auricular point Diagnosis and Treatment Professional Committee of the Chinese Association of Acupuncture and Western Medicine, the chairman of the auricular point professional committee of the Guangdong Association of Acupuncture and Western Medicine, and the vice-chairman of the treatment and prevention Professional Committee of the Guangdong Association of Integrated Chinese and Western Medicine.

Address: 6 Qinren Road, Chancheng District, Foshan City, Guangdong Province

Telephone number: +86-13902846399

E-mail: 544279373@qq.com

Research Team Member / Membre de l'équipe de recherche

[1] Yang Zhao, master of Internal Medicine in Southern Medical University, graduated from Hunan University of Traditional Chinese Medicine, majoring in Chinese Medicine. Hong Kong registered Chinese medicine doctor. Her supervisor is Professor Jihong Liu, chief physician and doctoral supervisor.

Address: 6 Qinren Road, Chancheng District, Foshan City, Guangdong Province

Telephone number: +86- 15627797550

E-mail: 834769494@qq.com

[2] Sixian Zhou, master of Acupuncture and Massage in Southern Medical University, graduated from Chengdu University of Traditional Chinese Medicine, majoring in Acupuncture and Massage. Her supervisor is Professor Jihong Liu, chief physician and doctoral supervisor.

Address: 6 Qinren Road, Chancheng District, Foshan City, Guangdong Province

Telephone number: +86-15882286191

E-mail: 624102390@qq.com

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
9 :30 am – 10 am / 9h30 - 10h

Auriculo Diagnostic and Auriculo-therapy of Psychological Damage and Trauma in the soul. Development of the finding of the psychosomatic points.

Frank Bahr (MD)

I) Abstract / Résumé

Emotional traumas can have a lasting negative impact on the self-healing process of "ordinary" illnesses, as they trigger energetic Yin/Yang imbalances. A differential diagnostic distinction from "typical" sources of disruption must be considered. Our practical experiences attest that successful acupuncture therapy should often be combined with herbal substances.

The presentation delves into the profound disturbances that an emotional trauma can trigger. Through an intensified patient history, we can even trace the timeline of events using the identified trauma key acupuncture point (negative Qi as an indicator) and explore the circumstances of trauma development with psychological sensitivity.

During the presentation and live workshop, we discuss the treatment with acupuncture, recommended flower essences, TCM herbs, and homeopathy. We also address, even though critically, esoteric approaches such as shamanic soul retrieval and family constellations.

Lastly, the soul is something special! It is essential to differentiate emotional traumas from psychosomatic "disturbances" like envy, resentment, aggression, self-aggression, greed, hatred, hysteria, and others. In this context, the localization of corresponding acupuncture points is highly beneficial.

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
10 :30 am – 10 :50 am / 10h30 - 10h50

Auricular therapy Combined with Cognitive Behavioral Intervention for Depression after COVID-19: A Case Report from Zhengzhou, China

Yang Xiaohui Liu^{1,2} Dai Nan³ Zhao Jie³

¹Department of Nursing, The Second Affiliated Hospital of Henan University of Traditional Chinese Medicine, Zhengzhou, Henan 450002, China

²Department of Traditional Chinese Medicine Nursing, Nursing College of Henan University of Traditional Chinese Medicine, Zhengzhou, Henan 450046, China

³College of Nursing, Henan University of Traditional Chinese Medicine, Zhengzhou, Henan 450046, China

Correspondence should be addressed to Xiaohui Liu; brilliantlxh@163.com

I) Abstract / Résumé

Background / Présentation du problème : Depression is one of the sequelae of Long COVID and severely affects the quality of life of survivors.

Case presentation / Présentation du cas : In this case report, a 54-year-old female patient diagnosed with depression after COVID pneumonia was treated with auricular therapy combined with cognitive behavioral intervention. 4 weeks later, all the scores of HAMA, HAMD, SCL-90, Pittsburgh Sleep Scale and Somatization symptom Scale were significantly improved compared to the initial results. In addition, the patients' depressive symptoms and accompanying symptoms disappeared or relieved. The patient was very satisfied with the results of the treatment.

Conclusion / Conclusion : This case suggests that auricular therapy combined with cognitive behavioral intervention may be an effective treatment option for depression after COVID pneumonia. The mechanism may be related to the auricular vagal nerve stimulation and theoretical system of Traditional Chinese medicine.

Keywords / Mots clés : depression, COVID-19; auricular therapy; cognitive behavioral intervention

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
10 :50 am – 11 :10 am / 10h50 – 11h10

Auriculotherapy with a double effect

Christiane Tessa Wesemann (MD)

Sybelstr. 62, 10629 Berlin (GERMANY)

E-mail : post@drwesemann.de

I) Abstract / Résumé

This lecture is about the effect of acupuncture with the combination of an exactly matching flower whose resonance exactly matches the meaning of the acupuncture point.

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
11 :10 am – 11 :30 am / 11h10 – 11h30

Laser in Diagnosis and Therapy: Fascinating Results by the seven Resonance-Frequencies according to Paul Nogier et Frank Bahr

Michael Weber (MD), *President of European Laser Academy*
Visiting Professor University Witten-Herdecke; DAA / EATCM
Germany: Am Stadion 4; 45659 Recklinghausen
Portugal: Faria – Vale de Centeanes, Lote 2; 8400-564 Carvoeiro, Lagoa
<https://european-laser-academy.com>

I) Abstract / Résumé

Laser acupuncture (LA) is a synthesis of the treasures of so called Traditional Chinese Medicine (TCM) and modern science. Laser acupuncture is the use of nonthermal, low-intensity laser irradiation to stimulate acupuncture points on the body or ear. LA is a safe and non-invasive alternative to traditional acupuncture. Laser is a unique form of light; it is light of only one wavelength (color) and in contrast to all other sources of light a coherent movement.

These physical properties of the laser enable it to be used very precisely for diagnostics and therapy. The German physicist F. A. POPP describes the acupuncture points in general as transmitters and receivers of electromagnetic signals¹. Laser is physically an electromagnetic (highly pure/"coherent") oscillation, which according to the POPP concept fits like a key into the acupuncture lock.

Worldwide the most commonly used resonances are the seven resonances by Paul Nogier and the corresponding seven basic resonances by Frank Bahr².

Indication	Original Nogier	Higher Octave	Bahr
Disorganization; detection of foci	A 2.28 Hz	A´ 292 Hz	5
Nutritive; inner organs	B 4.56 Hz	B´ 584 Hz	4
Mesenchymal, "orthopedic"	C 9.12 Hz	C´ 1168 Hz	3
Tragus, laterality, sympathetic	D 18.25 Hz	D´ 2336 Hz	2
Bone marrow, peripheral nerves	E 36.50 Hz	E´ 4672 Hz	1
Denta-oral-maxillary region	F 73.00 Hz	F´ 9344 Hz	7
Psychosomatic, cortex, eyes	G 146.00 Hz	G´ 18 688 Hz	6

The values of these resonances for diagnostic and treatments will be discussed using various examples.

Keywords and abbreviations: laser, acupuncture, laser-acupuncture (LA), Low-Level-Laser-Therapy (LLLT), photobiomodulation (PBM), RAC (Dynamic Puls Testing), resonances

¹ POPP, F.-A. Deutungsversuche zur Akupunktur. Der Akupunktuarzt / Aurikulotherapeut, DZA, 5 (1979), S. 118.

² BAHN F.R. Systematik und Praktikum der wissenschaftlichen Ohrakupunktur für Fortgeschrittene (Aurikulomedizin III. Stufe) Skriptum 1998

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
11 :30 am – 11 :50 am / 11h30 – 11h50

**Pulsed Magnetic Field, a potentially useful complementary
auricular therapeutic option.**

Phase II: a comparative trial of auricular magnetic stimulation in 100 patients

Chantal Vulliez (MD), Stomatologist, Lyon, France,
Patrick Becu (DVM), Lyon, France

I) Abstract / Résumé

This comparative study on the use of electromagnetic fields on the auricular pinna in asthenia extends the work presented in 2017 in Singapore at the Auriculotherapy Symposium, and aims to highlight the value of this complementary approach to treatment.

Methods / Méthode : 100 patients were randomly divided into 2 groups, one serving as a control and the other receiving an additional 14 minutes of bilateral auricular magnetic stimulation at the end of the consultation. Asthenia was assessed at each visit, one month apart, over 2 months, using the Crocq et Bugard reference scale, with global and criterion scores.
Results: There was a statically significant difference between the treated and control groups, when comparing changes in scores between each session, and overall scores at the last visit. The study of changes by criterion also identified significant variations on certain criteria. No side effects were reported.

Conclusion / Conclusion : The use of bilateral auricular electromagnetic stimulation as an adjunct to the treatment of asthenia improves the results obtained, but further studies over a longer period will enable us to clarify this contribution.

The complete study can be consulted on the GLEM web site : auriculoformation.fr.

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
11 :30 am – 11 :50 am / 11h30 – 11h50

**Le champ magnétique pulsé, une option thérapeutique auriculaire
potentiellement utile et complémentaire.
Phase II: une étude comparative de la stimulation magnétique auriculaire
sur 100 patients**

Chantal Vulliez (MD), Stomatologist, Lyon, France,
Patrick Becu (DVM), Lyon, France

I) Résumé / Abstract

Cette étude comparative sur l'utilisation des champs électromagnétiques sur le pavillon auriculaire dans le cadre de l'asthénie prolonge les travaux présentés en 2017 à Singapour lors du Symposium d'Auriculothérapie, et a pour objectif de mettre en évidence l'intérêt de cette approche complémentaire au traitement.

Méthode / Methods : 100 patients sont aléatoirement répartis en 2 groupes, un servant de témoin et l'autre bénéficiant d'un ajout de 14 minutes de stimulation magnétique auriculaire bilatérale en fin de consultation. L'évaluation de l'asthénie est effectuée à chaque visite à un mois d'intervalle, sur 2 mois, à l'aide de l'échelle référence de Crocq et Bugard, note globale et par critères.

Résultats / Results : Il y a une différence statistiquement significative entre les traités et les témoins, en comparant l'évolution des notes entre chaque session, et les notes globales en dernière consultation. L'étude des évolutions par critère identifie également des variations significatives sur certains critères. Aucun effet secondaire n'a été signalé.

Conclusion / Conclusion : L'utilisation en complément de traitement de l'asthénie de la stimulation électromagnétique auriculaire bilatérale améliore les résultats obtenus, mais d'autres études sur une période plus longue permettront de préciser cet apport.

L'étude complète a été réalisée reste à votre disposition sur le site du GLEM : auriculoformation.fr.

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
11 :50 am – 12 :10 am / 11h50 – 12h10

**Ear acupuncture as an adjunct to in-patients with anorexia nervosa.
Two qualitative studies.**

Kajsa Landgren

Assistant professor, registered nurse specialized in psychiatry, Faculty of Medicine, Lund University.
E-mail : kajsa.landgren@med.lu.se

Siiri Hedlund

M.Ed, registered nurse, Faculty of Medicine, Lund University.
E-mail : siiri.hedlund@gmail.com

Anna Olsson

M.Sc, occupational therapist, Faculty of Medicine, Lund University.

I) Abstract / Résumé

Background / Présentation du problème : Persons with Anorexia Nervosa have a high co-morbidity with anxiety, obsessive compulsive disorder (OCD), self-harm, depression and posttraumatic stress disorder (PTSD). The mortality rate is high and in severe cases the hospitalization periods can be several months.

Methods / Méthodes : We will present results from two qualitative studies conducted with patients receiving a simple, standardized type of ear acupuncture (NADA) twice a week plus on demand as an adjunct to usual care in a highly specialized ward for Anorexia Nervosa. Data was collected in 62 interviews with 33 patients.

Results / Résultats : Ear acupuncture was described as a framework for rest, relaxation, and reflection, as a pause button and a lifeline during the recovery process. Both psychological and physiological effects were perceived. Patients appreciated this non-verbal and non-pharmacological adjunct to the strict treatment program. Anxiety decreased and eating became easier.

Conclusion / Conclusion: When anxiety is intense and sleep problems severe, and pharmaceuticals have a modest effect, non-pharmacological methods can be interesting supplements in ordinary care increasing both patients' participation and subjectively perceived mental health. Standardized auricular acupuncture can have a palpable effect, even in severely ill patients who are in a stressful and challenging treatment.

References / Références :

Hedlund S & Landgren K. (2017) Creating an Opportunity to Reflect: Ear Acupuncture in Anorexia Nervosa – Inpatients' Experiences. Issues in Mental Health Nursing, 38:7, 549-556, DOI: 10.1080/01612840.2017.1303858

Olsson, A., Landgren, K. (2020) Getting well is more than gaining weight - patients' experiences of a treatment program for anorexia nervosa including ear acupuncture. Issues in Mental Health Nursing. 41:4, 328-338, DOI: 10.1080/01612840.2019.1663567

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
1 :30 pm – 1 :50 pm / 13h30 – 13h50

Auricular Trauma Protocol (ATP) in the Mitigation of Extraordinary Stress and its Psychologic and Somatic Manifestations

Mitchell Elkiss (DO, FACN, FAAMA, CSPOMM)
Co-Director Helms Medical Institute
E-mail : mitchellelkiss@mac.com

I) Abstract / Résumé

In 2012, I presented the newly developed HMI Auricular Trauma Protocol (ATP) at GLEM VII on the Nervous System and Neurologic Disorders in Lyon. This protocol was developed at the request of the US Military for the treatment of Post-Traumatic Stress Disorder (PTSD).

The ATP consists of the points: Hypothalamus, Amygdala, Hippocampus, and Prefrontal cortex, adding Point zero and Shen men for further centering and autonomic balancing.

In this presentation, I will report on our experience using the ATP over the past ten years. I will present the newer ATP Basic I and II modified ATP protocols for sleep, pain, stress, and dependency clinical presentations.

What we designed as a neurological treatment turned out to have major effects on sleep, pain, stress mitigation, and pharmacologic dependencies. The neurophysiology and the relationship of these same limbic structures underly much of what is considered the domain of Psychology. This includes affective behavior, mood, anxiety, depression, chronic pain, disturbed sleep, stress overload, and pharmacologic dependencies. The ATP and its derivatives address the subcortical and brainstem aspects of feeling and emotion in a novel and potent way. This is where auriculotherapy meets psychology.

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
1 :50 pm – 2 :10 pm / 13h50 – 14h10

Place of auriculotherapy in the management of cancer patients, from a cohort study in integrative medicine conducted in the Institut Rafaël.

Carine Chaix-Couturier, Clément Draghi, Frédérique Cohen, Nathaniel Scher, Alain Toledano
Institut Rafaël Santé Intégrative, 3 Bld Bineau – 92300 LEVALLOIS-PERRET, FRANCE
contact postal address (as above)
work E-mail: c.chaix-couturier@orange.fr

I) Abstract / Résumé

The objectives of the study were :

- to describe the place of auriculotherapy in the coordinate healthcare pathway
- to assess the impact of the auriculotherapy on a few symptoms

Methods / Méthodes : The auriculotherapy is proposed to the patients with other complementary health approaches in a coordinate way to treat the whole person. All the symptoms are collected upstream before a proposal of pathway is given to the patient.

Results / Résultats : The size of the sample was 74 patients (December 2020 to February 2023). The main symptoms treated in auriculotherapy are hot flashes (22%), pain (14%), anxiety (9 %) and sleep disorders (9 %). The data analysis shows an impact on the decrease of frequency, intensity or quality of life (figures 1-4). The auriculotherapy forms part of a general pathway including other interventions of health care providers as psychology (54,9%, figure 5).

Discussion / Discussion : The role of these other approaches could impact the efficacy of the auriculotherapy (reflexotherapy, neurofeedback, psychotherapy, sophrology, yoga,...). These interactions should be study.

Conclusions / Conclusions : Auriculotherapy helps to reduce frequency and severity of the hot flashes, pain anxiety or sleep disorders.

Bibliography / Bibliographie :

Von Elm E, Altman DG, Egger M, Pocock SJ, Gøtzsche PC, Vandenbroucke JP. The Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) Statement: guidelines for reporting observational studies. Lancet. 2007 ;370(9596):1453-1457.

<https://www.equator-network.org/reporting-guidelines/strobe/>

Contim CLV, Santo FHDE, Moretto IG. Applicability of auriculotherapy in cancer patients: an integrative literature review. Rev Esc Enferm USP. 2020 Sep 7;54:e03609. Portuguese, English. doi: 10.1590/S1980-220X2019001503609. PMID: 32901659.

Viel E , Vanoli A , Melis A , Rocher F , Schipman B , Truong D . Efficiency of auricular acupuncture in climacteric symptoms after cancer treatments . Climacteric . 2016 ; 19 (3): 274 - 8 . DOI: 10.3109/13697137.2016.1164135

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
2 :10 pm – 2 :30 pm / 14h10 – 14h30

Application and Curative Effect of Chinese Acupuncture in Auriculotherapy

Michelle Lee

Partner of Qing Dao Auriculotherapy Institute, China

Mailing address: 6281 Sierra Siena Road, Irvine, CA 92603, USA

Phone: +1-949-5617791

E-mail: mingzhao_li@hotmail.com

I) Abstract / Résumé

Traditional Chinese medicine focuses on the balance of YIN and YANG in the human body, which is the foundation of curing diseases including psychological disease, in Chinese medicine in the past thousands of years. Finding a systematic method to achieve this ultimate balance in the human body has become the effective solution in the treatment of the psychological disease. The role of the two channels of Ren and Du are particularly important at the farthest end of the human body.

The liver depression and the Qi stagnation will induce the gallbladder dampness, which manifests various symptoms of depression. The treatment should start from the liver and the gallbladder, combining with Shenmen, the distal Ren vessel of the toes and the Du vessel of the heel, and the neck. These six acupoints are treated as the basic acupoints. Other auxiliary acupoints are introduced basing on unique characteristics of individual patients. If the depression is severe, more acupoints can be included, i.e. fingers, wrists, elbows, shoulders, ankles, knees, groins, etc., along the pathogenic meridians passage. This method of analogy has achieved unexpectedly practical results.

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
2 :30 pm – 2 :50 pm / 14h30 – 14h50

Vagus Nerve Stimulation in Drug Resistant Restless Legs Syndrome: Rationale and Preliminary Data

Eric Azabou (PhD)^{1*}, Guillaume Bao ¹, Antoine Leotard ², Sarah Hartley ²

¹ Clinical Neurophysiology and Neuromodulation Unit, SMART_VNS Platform, Department of Physiology, Raymond Poincaré Hospital, Assistance Publique-Hôpitaux de Paris (AP-HP), Garches, Paris, France.

² Sleep Unit, Department of Physiology, Raymond Poincaré Hospital, Assistance Publique-Hôpitaux de Paris (AP-HP), Garches, Paris, France.,

I) Abstract / Résumé

Introduction : Vagus nerve stimulation (VNS) could modulate brain's dopaminergic and sensory-motor pathways. We hypothesize that it might be useful in drug-resistant restless legs syndrome (RLS).

Materials and methods / Méthodes : We studied the effects of transauricular VNS (taVNS) in fifteen patients with severe drug-resistant RLS (mean IRLS 31.9 ± 2.9). After 8 initial weekly 1-hour taVNS sessions in the hospital, patients were trained in self-use of taVNS at home and followed for 6 months. The International Restless Legs Rating Scale (IRLS), Quality of Life (RLSQOL), and Hospital Anxiety and Depression Scale (HAD) were assessed.

Results / Résultats : At 6-month, 13/15 patients continued to use weekly taVNS. The severity of symptoms decreased significantly (IRLS 24.6 ± 5.9 at 8 weeks and 22.2 ± 9.32 at 6 months, $p = 0.0005$). Quality of life improved significantly (baseline 49.3 ± 18.1 vs 6 months 65.66 ± 22.58 $p = 0.0005$). Anxiety and depression also improved: initial HADA 8.9 ± 5.4 vs 6 months 7.53 ± 4.42 ($p = 0.029$) and initial HADD 5.2 ± 4.5 vs 6 months 4.73 ± 4.44 ($p = 0.03$). No adverse events were reported.

Conclusion / Conclusion: taVNS therapy shows promise in patients with severe drug-resistant RLS. : Randomized controlled trials are needed.

Corresponding author

Prof. Eric AZABOU

SMART_VNS Platform, Clinical Neurophysiology and Neuromodulation Unit,
Department of Physiology, Raymond Poincaré Hospital, Assistance Publique-Hôpitaux de Paris (AP-HP), University of Versailles Saint Quentin (UVSQ) / Paris Saclay University, Garches, Paris, France.

E-mail: eric.azabou@aphp.fr

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
2 :50 pm – 3 :10 pm / 14h50 – 15h10

**Étude clinique sur l'efficacité de l'auriculothérapie sur les symptômes
de la fibromyalgie**

Clinical study on auriculotherapy efficiency on fibromyalgia symptoms

Bernard Deffontaines (MD), Michel Barberis Bianchi et Pauline Vandromme (MD)

I) Abstract / Résumé

Nous avons créé une Application Web spécifiquement pour une étude sur l'efficacité de l'Auriculothérapie sur les symptômes de la Fibromyalgie. Il pourra aussi servir à d'autres pathologies... L'analogie de certains signes de la Fibromyalgie avec ceux trouvés dans les pathologies psychiatriques nous a amené à s'intéresser plus particulièrement aux éléments cérébraux impliqués et à leurs zones de projection auriculaire.

Un protocole a été appliqué sur 84 personnes diagnostiquées fibromyalgiques.

L'analyse des données recueillies répond à notre questionnement :

- y aurait-il réduction des symptômes avec l'auriculothérapie ? Oui
- un protocole standard est-il applicable dans tous les cas ? Peut-être, à valider.
- y a-t-il des obstacles accompagnant ou amplifiant les douleurs ? Certains fréquents
- quelles pourraient être les pistes de recherches futures ? Multidisciplinaires

Mots clés / Key words : Auriculothérapie - Fibromyalgie - Douleur chronique - GLEM - TNM Thérapies Non Médicamenteuses - INM Interventions Non Médicamenteuses

En 2021, suite à l'annonce de ce Symposium sur « Auriculothérapie et Psychiatrie » avec le regretté Michel Marignan, nous avons envisagé de réaliser une étude sur l'apport éventuel de l'Auriculothérapie chez les patients souffrant de Fibromyalgie, pouvant, peut être aboutir sur la création d'un protocole de traitement.

Nous avons constitué une équipe pour cette réalisation avec Michel Barberis Bianchi et Pauline Vandromme et obtenu la participation des enseignants du GLEM, de nombreux collègues auriculothérapeutes formés par le GLEM et le soutien des Associations Francophones de fibromyalgiques.

Il a été nécessaire de créer une application Web pour représenter en Image les données.

La fibromyalgie est définie comme un syndrome fait de symptômes, chroniques, incluant des douleurs diffuses, de la fatigue, des troubles du sommeil, des troubles cognitifs et de nombreuses plaintes somatiques.

L'INSERM en 2020 évoque que des facteurs psychologiques contribueraient à un stress important qui pourrait en conséquence être à l'origine des modifications observées au niveau des voies cérébrales de la douleur. Les systèmes de régulation du stress et de la douleur sont très interconnectés au niveau cérébral. La fibromyalgie pourrait donc être le signe d'un dysfonctionnement au niveau de zones cérébrales, chargées de percevoir et d'analyser la douleur et trouver son origine dans un défaut d'adaptation à l'environnement.

C'est un syndrome extrêmement complexe, découlant très probablement de divers mécanismes physiopathologiques, expliquant d'une part l'errance médicale anxiogène pour les fibromyalgiques et d'autre part le sentiment d'impuissance des praticiens face à cette pathologie.

Son traitement est symptomatique : médicaments, exercices physiques et soutien psychologique. (ne faudrait il pas ajouter "conseil alimentaire" ?)

Objectif / Objectifs : Quelle est la place de l'auriculothérapie dans l'amélioration de la symptomatologie de la fibromyalgie ?

Nous avons essayé de répondre à cette question en ayant créé un protocole orienté sur les éléments cérébraux.

Protocole et Méthodologie / Protocol and Methods : Le protocole nécessite deux séances espacées de 4 semaines suivies un mois plus tard d'une évaluation par téléphone.

La recherche des points se fait au DÉTECTEUR ÉLECTRIQUE.

Le diagnostic de fibromyalgie doit avoir été posé par un rhumatologue, un médecin interniste, le médecin traitant ou un centre anti douleur.

Des critères d'inclusion et des critères d'exclusion ont été définis

Conclusion / Conclusion : Les différents graphiques ci-dessus donnent une impression d'amélioration des symptômes au dire des personnes reçues.

Il est marquant de constater que l'apparition des premiers symptômes de la fibromyalgie est souvent (aucune exploration statistique dans cette étude, ni ailleurs à notre connaissance) concomitante d'un traumatisme physique ou/et psycho-émotionnel

Nous sommes conscients de certains biais dans notre approche :

- diversité des formations, des expériences et des préjugés des praticien-ne-s ;
- traitements non codifiés (chacun-e a traité à sa façon) ;
- nous n'avons pas eu de contrôle sur la façon d'enregistrer les ressentis de douleur ;
- certain-e-s ont utilisés le RAC après la détection électrique pour choisir les points à traiter ;
- la disponibilité, l'empathie, la relation soignant-soigné sont non-mesurables ;
- nous n'avons pas prévu l'exclusivité de l'auriculothérapie vis-à-vis des autres interventions non médicamenteuses.

Notre apport avec cette étude se range du côté du soulagement des effets de la fibromyalgie.

Peut-être, serions-nous dans la gestion du stress.

Propositions des pistes de travail / Research direction suggestions

- Viser un équilibre global en tenant compte de l'alimentation, de l'exercice physique, de la gestion du stress et de l'aménagement de périodes de relaxation/récupération.
- Explorer l'environnement de l'apparition des premiers symptômes de la fibromyalgie, et l'Etat de Stress post traumatique les
- Un bilan postural du fait de la perception dans l'étude de manifestation auriculaire de la formation réticulée pontique et bulbaire, pouvant entraîner le dysfonctionnement du tonus musculaire.
- Pour l'auriculothérapie, traiter en premier les Obstacles
- Une visite trimestrielle est souhaitable.

L'étude complète a été réalisée sous forme de mémoire et reste à votre disposition sur le site du GLEM : auriculoformation.fr.

L'ensemble des protocoles réalisés est à votre disposition au GLEM pour poursuivre...

Renseignements / Contact :

pauline_vandromme@yahoo.fr

mbabi@free.fr

deffontainesbernard@gmail.com

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
4 pm – 4 :30 pm / 16h – 16h30

**Auriculotherapy and post-traumatic stress disorder, an observational trial
with chromotherapy**

Maugendre Stéphane MD¹², Godthjaelp Rikke², Andersen Alminde Dina³, Andersen Drejer
Elbaek Jasper⁴, Kristensen Mejlvang Jeannette⁵

¹ Department of Neurosurgery, Pain center, Adolphe de Rothschild Ophthalmological
Foundation, 25 Street Manin Paris, France

² Institute Godthjaelp, Sortedam Dossering 59, 2100 København.

³ Clinic Asylgade 1b, 7700 Thisted

⁴ Ejbyvej 56, 4070 Kirke Hyllinge

⁵ Mogensgade 65, 8800 Viborg

Corresponding author: Maugendre Stéphane¹², MD

E-mail: smaugendre@for.paris, dsm@godthjaelp.dk

I) Abstract / Résumé

Keywords / Mots clés : auriculotherapy, post-traumatic stress disorder (PTSD), vascular autonomic signal (VAS), chromotherapy, psychologic trauma

Objective / Objectif : The reclassification of a traumatic image from a post traumatic chronic stress syndrome is a prerequisite to a healing process. Auricular chromotherapy has already been used following the work of Dr ASIS (1,2). We performed a study using a specific blue nuance (Kodak F98), used by Dr Paul Nogier (3), and localising the points of interest by following the vascular autonomic vascular signal (3,4).

Materials and Methods / Méthode : Thirty-one patients were treated with auriculotherapy using colour Kodak F98 (blue light) stimulation according to Dr Paul Nogier with the use of vascular autonomic signal (VAS) (5).

Results / Résultats : Subjective Units of Distress Scale (SUDS) and Validity of Cognition (VOC) scores improve after a session of auriculotherapy. In most cases, 90%, the traumatic image is mentally inaccessible and emotionally neutral.

Conclusions / Conclusions : Using Auricular chromotherapy, including the VAS (Vascular Autonomic Signal) with colour Kodak F98 used on the ear, decreased symptoms from traumatic image after only one session.

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
4 :30 pm – 5 pm / 16h30 – 17h

**The psychic injuries in the case of Covid diseases with the corresponding
psychic blockage points and the exact matching flowers**

Christiane Tessa Wesemann (MD)

Sybelstr. 62, 10629 Berlin (GERMANY)

E-mail : post@drwesemann.de

I) Abstract / Résumé

In this lecture I will talk about the emotional consequences of the Covid 19 pandemic with its different effects including the Long- and Post-Covid Syndrome and the possibilities to work against it with acupuncture. In particular, the psychic blockage points on the ear with their exactly matching flower essences, but also the search for the suffered trauma and the corresponding flower essence are in the foreground here. This approach has proven very successful in the last months in my practice with the many patients with multiple psychological and physical disorders after a covid illness, after a drastic loss or also due to the restrictions in daily life.

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
5 pm – 5 :30 pm / 17h - 17h30

Application of auricular diagnosis and treatment technology in China

Sixian Zhou, Pr Jihong Liu

I) Abstract / Résumé

Through the review of auricular literature in China and the investigation and investigation of the application of auricular diagnosis and treatment in some domestic hospitals, clinics and health institutions, the application of auricular diagnosis and treatment technology in China in the past ten years is understood. From the three aspects of auricular diagnosis, treatment and health care, especially the diagnosis and treatment of common diseases are analyzed statistically. To reflect the application of auricular diagnosis and treatment technology in China. In this paper, the application of auricular diagnosis and treatment technology is summarized, indicating that the auricular diagnosis and treatment technology with Chinese characteristics has great application and development space in the field of medical treatment, nursing, rehabilitation and health care. It can play a certain beneficial role in disease prevention and control, health care, and is accepted and loved by the Chinese people.

Research Team / Equipe de recherche

Research Team Leader / Chef d'équipe de recherche

Jihong Liu, professor, chief physician, doctoral supervisor, currently the director of the Treatment and Prevention Center of Foshan Hospital of Traditional Chinese Medicine and director of the Prevention and Treatment Department of the Eighth Clinical Medical College of Guangzhou University of Traditional Chinese Medicine, engaged in clinical treatment of auricular points, basic research and teaching training for more than 30 years. Doctoral tutor of integrated traditional Chinese and Western Medicine in Guangzhou University of Traditional Chinese Medicine, and the master supervisor of Acupuncture and Massage in Southern Medical University, now serving as the vice-chairman of the External Treatment Branch of the Chinese Association of Traditional Chinese Medicine, the vice-chairman of the auricular point Diagnosis and Treatment Professional Committee of the Chinese Association of Acupuncture and Western Medicine, the chairman of the auricular point professional committee of the Guangdong Association of Acupuncture and Western Medicine, and the vice-chairman of the treatment and prevention Professional Committee of the Guangdong Association of Integrated Chinese and Western Medicine.

Address: 6 Qinren Road, Chancheng District, Foshan City, Guangdong Province
Telephone number: +86-13902846399
E-mail: 544279373@qq.com

Research Team Member / Membre de l'équipe de recherche

[1]Sixian Zhou, master of Acupuncture and Massage in Southern Medical University, graduated from Chengdu University of Traditional Chinese Medicine, majoring in Acupuncture and Massage. Her supervisor is Professor Jihong Liu, chief physician and doctoral supervisor.

Address: 6 Qinren Road, Chancheng District, Foshan City, Guangdong Province

Telephone number: +86-15882286191

E-mail: 624102390@qq.com

[2]Yang Zhao, master of Internal Medicine in Southern Medical University, graduated from Hunan University of Traditional Chinese Medicine, majoring in Chinese Medicine. Hong Kong registered Chinese medicine doctor. Her supervisor is Professor Jihong Liu, chief physician and doctoral supervisor.

Address: 6 Qinren Road, Chancheng District, Foshan City, Guangdong Province

Telephone number: +86- 15627797550

E-mail: 834769494@qq.com

Saturday, the 9th of September 2023 - Samedi, le 9 septembre 2023

Plenary session - Session en plénière
5 :30 pm – 6 pm / 17h30 – 18h

Rationale and implementation of Vagus nerve biofeedback for mental and physical health of Ukrainian forced migrants

Yori Gidron (MD), Einav Levyn (MD)

I) Abstract / Résumé

Major causes of death include coronary heart disease (CHD), cancer, stroke, COPD and diabetes. Adding chronic pain, anxiety and depression, covers major health care burdens.

The Russia-Ukraine war caused millions of Ukrainians to leave their homes, interrupting health-care for such diseases or causing them. Is there one common protective factor which is epidemiologically related to lower risk of such diseases and which inhibits patho-physiological processes?

Can this protective factor be activated at no cost for such emergency situations?

The vagal nerve meets these criteria. Its activity is indexed by heart-rate variability (HRV) which predicts a lower risk of these diseases and better prognosis in such conditions (e.g., cancer, CHD). The vagus inhibits inflammation and sympathetic activity, which otherwise contribute to these diseases. Finally, evidence shows that vagal activation via HRV-biofeedback, a treatment with little or no costs, has positive clinical effects on some of these conditions (e.g., chronic pain, anxiety, CHD).

My talk will cover these issues with scientific evidence, and will provide an example in which we taught Ukrainian migrants in an Israeli humanitarian clinic, to perform HRV-biofeedback, and will show its effects on pain, distress, HRV and blood pressure. Activating the vagal nerve may help wandering people.

Sunday, the 10th of September 2023 - Dimanche, le 10 septembre 2023

Plenary session - Session en plénière
9 am – 9 :30 am / 9h– 9h30

The Auriculotherapy Certification Institute

Terry Oleson (PhD)

I) Abstract / Résumé

The French physician Dr. Paul Nogier wrote his text From Auriculotherapy to Auricular Medicine to provide a more in-depth, embryological orientation to his seminal work, whereas From Auriculotherapy to Ear Reflexology seeks to provide guidance in the use of auricular acupressure by lay practitioners who are not medical doctors. Like foot and hand reflexology, tactile stimulation of the surface on the external ear is utilized to alleviate discomfort in other parts of the body. First discovered by Paul Nogier in the 1950's, the external ear corresponds to a map of the physical body in an inverted fetus pattern. A double-blind study at UCLA statistically demonstrated the relationship of musculoskeletal pain to certain areas of the ear, but not other auricular areas. In developing Ear Reflexology, much of the complexity of Latin anatomical terminology previously used in medical textbooks has been reduced to simpler terms more familiar to the general public. Distinctive features of the outer ear anatomy and different landmarks on the external ear are described with easy-to-understand, commonly used words. This presentation will provide guidance in the location of ear reflex points used alleviate pain and stress in multiple areas of the human body.

Sunday, the 10th of September 2023 - Dimanche, le 10 septembre 2023

Plenary session - Session en plénière
9 :30 am – 10 am / 9h30– 10h

**Ear acupuncture in addiction, anxiety, depression and sleeping problems:
evidence, visions, and experiences from psychiatric care.**

Kajsa Landgren

Assistant professor, Lund University, Sweden.
kajsa.landgren@med.lu.se

I) Abstract / Résumé

Anxiety, depression, addiction, stress and sleeping problems are common and affect all dimensions of life. The effect of medication is modest with severe side effects. It is essential to find a safe and effective treatment that reduces suffering. Complementary methods like ear acupuncture are interesting options. I will focus on evidence, clinical experiences, and implementation of ear acupuncture in psychiatric care. I will also present results from two qualitative studies where interviews were conducted with patients receiving ear acupuncture as an adjunct to usual care in a highly specialised ward for Anorexia Nervosa. Another interview study with health care professionals who use ear-acupuncture in different psychiatric settings report how they perceive ear acupuncture as a valuable tool. Utilization rate of ear acupuncture in a psychiatric ward is reported, and a survey reports how many Swedish psychiatric wards that use ear acupuncture. Decision-makers have been interviewed about how they decide about implementation of ear acupuncture in psychiatric care. I argue that ear acupuncture is a safe, effective and cost-effective intervention, highly appreciated by patients. Therefore, I argue that it is reasonable to implement ear acupuncture in publicly funded care so that more people can benefit from it.

Kajsa Landgren, assistant professor, Lund University, Sweden.

Kajsa is a registered nurse, specialized in psychiatry. After 25 years as an acupuncturist in a private clinic, she is now a senior lecturer and researcher at Lund University. Her doctoral thesis (2011) included articles on acupuncture in infants with colic. Recent projects include research on patients and health care professionals' experiences of standardized ear acupuncture (NADA), and how complementary medicine like ear acupuncture is implemented in psychiatric care in Sweden. Kajsa teaches ear acupuncture and has written textbooks on ear acupuncture: "Öronakupunktur" (2004, in Swedish), "Ear Acupuncture – a practical guide" (2008, in English, Churchill Livingstone, Elsevier) and the new book ("NADA. Öronakupunktur vid beroende och psykisk ohälsa" about the standardized five-point-protocol NADA used in addiction and psychiatric disease (2022. In Swedish, under translation into English.)

Sunday, the 10th of September 2023 - Dimanche, le 10 septembre 2023

Plenary session - Session en plénière
10 am – 10 :30 am / 10h– 10h30

The Shenmen and Cosmonaut Points

Gary Stanton (MD)

I) Abstract / Résumé

The Shenmen Point is an auricular acupuncture point that is also known in France as the Cosmonaut Point. It is widely utilized therapeutically for its property of reducing stress.

In some ways it is a controversial point. Differences of opinion exist regarding the most appropriate name of the point, who discovered it first, its location within the triangular fossa, its best method of detection, its best method of stimulation, its actions, its indications, its contraindications, its therapeutic effects, and even its very existence.

Furthermore, given the extent of controversy concerning the Shenmen and Cosmonaut points, one may reasonably question if they represent the same point, or two separate points.

The aim of this keynote talk will be to review the similarities and differences of opinion regarding the Shenmen and Cosmonaut points, drawing mainly from French, German, Chinese, and American sources. The clinical implications of these comparisons will be summarized.

Sunday, the 10th of September 2023 - Dimanche, le 10 septembre 2023

Plenary session - Session en plénière
11 :20 am – 12 am / 11h20– 12h

The Contribution of Qingdao Auricular points Tang to Auriculotherapy in the Last Decade – Clinical Application and Dissemination. Teaching and Tools Educational practice and thinking of auricular diagnosis and treatment

Han Li^{1,2}, Cheng Kai^{2,3}, Zhou Liqun^{1,2}, Zhao Baixiao^{1,3}, Wang Zhongyu¹,
Chen Fangfang¹, Yang Danchen¹

(1.School of of Traditional Chinese Medicine, Beijing University of Chinese Medicine 100029, BEIJING, CHINA; 2. Committee of Auricular Diagnosis and Treatment, CAAM 100007, BEIJING, CHINA; 3. School of Acupuncture -Moxibustion and Tuina, Beijing University of Chinese Medicine 100029, BEIJING, CHINA)

*Correspondence should be addressed to:

Dr. Han Li, Email: doctorhanli@163.com, hanli@bucm.edu.cn
Postal address: Beijing University of Chinese Medicine,
Bei San Huan Dong Lu No.11, Beijing 100029, China.

I) Abstract / Résumé

New Medicine in response to the new scientific and technological revolution reform. Combined with auricular diagnosis and treatment, and my investigation, it is found that the college education of auricular diagnosis and treatment lags the clinical development of auricular diagnosis and treatment. The learning period of the courses is short, and the teaching content needs to be systematized further, and many other problems. There are some suggestions, such as to increase virtual reality technology for experiential teaching, and to explore a new model course combining theoretical teaching, classroom offline training, student community free clinic, and social practice teaching, and to build a social practice big data sharing platform. What is more, we need realize the mutual communication between patients and social practice students, and to create a closed-loop evaluation of patient feedback in social practice. Based on this, to create a public class for the society. We will develop precision medicine and accelerate the intelligent, digital, and integrated innovation of ear acupoint diagnosis and treatment instruments in combination with translational medicine and intelligent medicine. Ear acupoint diagnosis and treatment has many application scenarios, such as health care, rehabilitation and elderly care, military aerospace, wearable devices, artificial intelligence and so on.

Using 5G + VR technology to realize the virtual scene and virtual imitation ear model based on cloud computing. It shows: the ultimate three-dimensional display of the anatomical parts, the basic marking line and the ear points, presenting vivid and realistic ear acupoint scenes, as if being in an ear, which increasing the immersive immersion and viewing experience. At the same time, the relevant supplement and construction of ear experience points, and the three-dimensional display of the standard innovation of ear acupoint, will provide support for ear-related courses, and provide more

accurate positioning standards for the medical treatment, teaching and scientific research of the ear acupoints, and creating more consistent language for ear-related academic communication. This will serve as an important basis for the work of international standardization of Auricular Diagnosis acupoints .



Figure 1 Example of teaching platform construction with 5G + VR technology

Sunday, the 10th of September 2023 - Dimanche, le 10 septembre 2023

Plenary session - Session en plénière
12 am – 12 :30 am / 12h– 12h30

**Porges's Polyvagal Theory Seen Through the Looking Glass
of Nogier's Three Phases:**

Howard J. Wu

Address: 314 W. Line St #D; Bishop, CA93514 USA

E-mail: BraveWuWorld@protonmail.com

I) Abstract / Résumé

Polyvagal theory is Stephen Porges's interpretation of stress responses of the Autonomous Nervous System that emerged from an evolutionary hierarchy. Paul Nogier developed his three phases of Auricular reflexes inspired by his appreciation of embryological development of the ear. And as the saying goes "Ontotology recapitulates Embryology."

Assuming both theories are true reflections of the neuroanatomy of the auricle. One should expect to see glimmers of each respectfully as we explore the mapping and reactive response in the Auricular.

POSTERS

Auriculotherapy in stress and anxiety in university population

João VN Rueda, Daniella AN Vieira, Thale WC s Carvalho, Bernardo Beatriz, Dalvani Marques

(Faculty of Nursing, University of Campinas, CAMPINAS, BRASIL. *

E-mail: dalvani@uncamp.br

I) Abstract / Résumé

In today's society, the population lives with stressors that can cause stress and anxiety. It is known that Auriculotherapy is an effective therapy against stress and anxiety and helps to reduce its severity, so this study aims to analyze the feasibility and effectiveness of auriculotherapy in the management of stress and anxiety in a university population. This is a pilot study, randomized with university students who had symptoms of stress and anxiety, divided into two groups, a control group and an intervention group with the NADA protocol (National Acupuncture Detoxification Association), whose points are: Shen Men, Kidney, Liver, Lungs 1 and 2, and Sympathetic; in four sessions during four weeks, using the Perceived Stress Scale (PRES-10) and the Manual for the State-Trait Anxiety Inventory (STAI) before the first session of auriculotherapy and in the last session. As a result, despite the limitations of the sample due to the closure of the university due to the worsening of the covid19 pandemic, auriculotherapy corroborated to an improvement in stress and anxiety in the university population. It is concluded that Auriculotherapy is a viable and effective therapeutic option in the management of stress and anxiety.

Auriculotherapy in pregnant women up to 20 weeks of gestation

Daniella AN Vieira, João VN Rueda, Thale WC s Carvalho, Bernardo Beatriz, Dalvani Marques

(Faculty of Nursing, University of Campinas, CAMPINAS, BRASIL.

E-mail: dalvani@uncamp.br

I) Abstract / Résumé

Pregnancy is a natural physiological event, which causes several body changes, bringing a series of discomforts arising from signs and symptoms, with varying tolerances and intensities. Among the most common symptoms are nausea and vomiting, which represent one of the major discomforts of pregnancy, causing a decrease in the quality of life and well-being of the mother-child binomial. The objective of the study was to evaluate the safety and feasibility of an auriculotherapy protocol in the treatment of nausea and vomiting in pregnant women up to 20 weeks of gestation. This is a series of four cases on an Auriculotherapy protocol in pregnant women up to 20 weeks of gestation, the points were used: Shen Men, Stomach and Cardia. The PUQE SCORE (Pregnancy Unique Quantification of Emesis) was performed before the auriculotherapy sessions. As a result, an improvement in the symptoms of nausea and vomiting was identified, which led one pregnant woman to continue the sessions for 6 weeks and three pregnant women for 8 weeks. Also, auriculotherapy contributed to the improvement of anxiety and stress. It is concluded that Auriculotherapy has the potential to be a viable and safe option during pregnancy.

CONGRESS EXHIBITORS
EXPOSANTS DU CONGRÈS



Sigmund Freud
PrivatUniversität Wien

Sigmund Freud University Vienna

Campus Prater, Freudplatz 1+3

A-1020 Vienna (AUSTRIA)

Phone : +43 (0) 1 798 40 98

Fax : +43 (0) 1 798 40 98 / 900

Email : rektorat@sfu.ac.at

Web : sfu.ac.at/en/about-sfu/



Sédatelec SA

Chemin des Mûriers

69540 Irigny/Lyon (France)

Phone : +33 (0) 472 663 322

Web : sedatelec.com



Acupunctureshop

Phone : +55 (0) [76 94 08 77](tel:76940877)

Email : info@acupunctureshop.com

Web : acupunctureshop.com



Doc Save

Phone France : [+33 \(0\) 9 88 99 77 30](tel:+330988997730)

Phone international : +49 (0) 30 3030 808 70

Fax : +33 (0) 9 88 99 77 31

Email : mail@docsave.fr

Web : docsave.com/fr



Nader Soliman, M.D.

Alternative and Complementary Medicine & Seminars

Soliman XEIlness Center

15245 Shady Grove Road

Suite 390

Rockville, MD 20850 (USA)


Phone : +1 (301) 251-2335

Email : myalternatives@protonmail.com

Web : alternativemedicinecenter.info



The original tool for efficient Auriculotherapy point stimulation!
 The ASP[®] has been created by Sedatelec in collaboration with Dr. Paul Nogier. Its prolonged stimulation for up to 30 days is ideal for pain relief and much more.



**45 YEARS BEING
 THE REFERENCE OF
 AURICULOTHERAPY**



**A new version is coming:
 5 times more eco-friendly,
 faster and cheaper**





A real Moxa like



**Electrical detection
and stimulation**




**Laser
Acupuncture**



**Laser
Biostimulation**



**Electro
Acupuncture**



**Light
Stimulation**



**Semi-permanent
Needles**



CONTACT US:

+33 4 72 66 33 24

contact@sedatelec.com

www.sedatelec.com